



राष्ट्रीय फैशन टेक्नालॉजी संस्थान, कोलकाता केन्द्र



NIT No.: e-08/2018(Pur-Kol)

**Tender Document**  
**Fee Rs. 500/-**



**राष्ट्रीय फैशन टेक्नालॉजी संस्थान कोलकाता केन्द्र**  
**(वस्त्र मंत्रालय, भारत सरकार)**

**NATIONAL INSTITUTE OF FASHION TECHNOLOGY, KOLKATA**

(A Statutory Body governed by the NIFT Act 2006 &  
set up by Ministry of Textiles, Govt. of India)  
(ISO 9000:2008 certified Institute)

**TENDER**  
**For**

**“RENOVATION AND UP-GRADATION OF NETWORK INFRASTRUCTURE (LAN & WiFi)”**

**Tender No.: e-08/2017(Pur-Kol)**

|   |                                  |
|---|----------------------------------|
| OPENING DATE FOR ONLINE SUBMISSION OF TENDER        | 14/02/2018                       |
| CLOSING DATE FOR ONLINE SUBMISSION OF TENDER        | <b>09/03/2018 up to 2.00 pm.</b> |
| Date and time of opening of tenders (Technical Bid) | 09/03/2018 at 3.00 pm.           |

**Opening Date and Time of Financial Bidding:** will be notified to the short listed bidders only

**PREAMBLE / INTRODUCTION**

National Institute of Fashion Technology is a Statutory Body governed by the NIFT Act 2006 & set up by the Ministry of Textiles, Govt. of India

**Note:** 1. NIFT Donations are exempted u/s 80 (G) of Income Tax Act.  
2. Being registered with DSIR, NIFT is entitled for Custom/Central Excise duty exemption.

**(A) TENDER NOTICE**

NIFT Kolkata invites **online** tender under two bid systems for “Renovation and Up-Gradation of Network Infrastructure (LAN & WiFi)” from the eligible reputed Firms/ Agencies.

The hard copy of the tender alongwith fees (DDs for EMD, Tender Cost), necessary/relevant documents should be placed in a sealed envelope superscribed with “Tender for Renovation and Up-Gradation of Network Infrastructure (LAN & WiFi)-NIFT: e-08/2018(Pur-Kol)” and shall be addressed and sent to the Purchase Officer, National Institute of Fashion Technology, Block-LA, Plot-3B, Sector-III, Salt Lake City, Kolkata- 700098 or dropped in the Tender Box kept at the said address on or before 09.03.2018 up to 2.00 pm in the following manner. Hard copy of Financial Bid/ Quotation need not be submitted.

NIT No.: e-08/2018(Pur-Kol)

**(B) SUBMISSION OF BID**

The interested firms should apply online and submit their bids along with scanned copies of all the relevant certificates, documents, etc. in support of their technical & price bids – all duly signed – on the <https://niftenders.eproc.in> from 14.02.2018 to 09.03.2018 up to 2.00 P.M.

Tender documents are also available for viewing on the “tenders” link of the NIFT website i.e. <https://niftenders.eproc.in>

Applications to this tender will be accepted only in the online mode through the website <https://niftenders.eproc.in>. No other mode of application will be considered & accepted.

For applying online, the prospective bidder/Firm should get itself registered at <https://niftenders.eproc.in>

- Registration Charges of Rs. 2000/- + (GST) = Rs-2360/- (Two thousand three hundred sixty only ) non-refundable.

- Bid Processing Fee charges of Rs. 3200/- + Rs. 576/- (GST) =Rs. 3776/- (Three Thousand seven hundred seventy six only) non-refundable through online payments only.

The interested firms are advised to read carefully the entire tender document before submitting their tender and the tender documents not received online in prescribed format and/or are found incomplete in any respect shall be summarily rejected.

Any further clarifications can be sought from the NIFT office on Telephone No. 033- 23357546, NATIONAL INSTITUTE OF FASHION TECHNOLOGY, NIFT Campus, Block-LA, Plot-3B, Sector-III, Salt Lake City, Kolkata-700098.

**For online procedure:**

For More enquiries/For Helpdesk officers:- Mr.Sandeep Bhandari,

E-mail:- [sandeep.bhandari@c1india.com](mailto:sandeep.bhandari@c1india.com)

Phone No.:- 0124-4302033/36

Commencing date of Tender: 14.02.2018

Last date of Submission: 09.03.2018 up to 2.00 PM

Date of opening of Tender (Technical Bid): 09.03.2018 at 3.00 PM

Cost of Tender form: Rs 500/- (Non-refundable)

Earnest Money Deposit: Rs 1,20,000/- (Rupees One Lakh Twenty Thousand only) (refundable)

Security Deposit: 5% of the order value [refundable; to be submitted by the successful bidder only after receiving of the P.O.]

**GENERAL TERMS & CONDITIONS:**

**1. Only online bids will be considered.**

In addition to on-line, the hardcopy of the Technical Bid (Annexure-I, II & III only) along with necessary fees through DD, and documents should be submitted within the specified date & time and at the said address. Annexure-IV (Financial Bid) to be submitted online only.

2. Please read the terms & conditions carefully before online submission/filling up the document. Incomplete tender documents will be summarily rejected.
3. Conditional or offline tender will not be accepted or the condition(s) may not be considered.
4. Tender(s) submitted beyond the scheduled last date & time due to whatever reason including postal delays and without the required fees, Annexure(s) & documents will not be considered.
5. A separate **Demand Draft of Rs. 500/-** (Rupees Five Hundred Only) (Non-Refundable) drawn in favour of NIFT Kolkata payable at Kolkata towards Tender Cost shall be attached with Technical Bid.
6. All tenderers are required to submit **Earnest Money Deposit (EMD) of Rs.1,20,000/- (Rupees One Lakh Twenty Thousand Only)** (refundable) in the form of Demand Draft (should be drawn beyond the date of notification of this NIT) in favour of NIFT Kolkata payable at Kolkata. No interest shall be paid on the said EMD and will be returned after finalization of the tender; however, the EMD of the successful bidder will remain with NIFT and will be forfeited in the following events:
  - a. If information declared/document submitted found false/fake/forged
  - b. If the selected/successful bidder does not accept the W.O., or, unable to supply the product

NIT No.: e-08/2018(Pur-Kol)

- c. If the bidder withdraws his bid/quote
7. The successful bidder shall deposit the **Security Deposit of 5% of the ordered value** through DD/Bank Guarantee in favour of NIFT Kolkata within two weeks from the date of receiving of **Work Order**. No interest will be paid on this deposit which will be refunded after two months on completion of warranty period of the delivered items and after adjusting dues, if any.
8. The minimum annual turnover of the tenderer for the last two years (i.e F.Y. 2014-15 & 2015-16) should not be less than **Rs.10.00 Crore** per year which should be substantiated by valid document(s), viz. IT Returns/Audit report, etc..
9. The Financial Bids of technically qualified bidders only will be opened.
10. Even after qualifying in technical bid, the financial bid may not be accepted if found not in order.
11. In case of L-1 is more than one, the selection criteria [viz. the past performance, experience, etc.] would be at the discretion of NIFT. The decision of NIFT, in this regard and for selection of successful bidder in such situation, will be final in all respect and will be binding on all the tenderers.
12. Lowest bid may not be the only criteria for selection and NIFT is not bound to issue work order to the agency being the 'L-1' bidder; weightage/ preference will also be given to the other factors, viz. previous experience, quality of service, number of client, yearly turnover, etc. to select the agency to award the work and the decision of NIFT in this regard and for selection of successful bidder will be final in all respect and will be binding on all the tenderers.
13. GST & other charges, if any, should be mentioned clearly; otherwise, the rates may be treated as all inclusive, or bid may not be considered.
14. The full and final payment for indigenous items shall be made after Renovation and Up-Gradation of Network Infrastructure (LAN & WiFi) at NIFT Kolkata & submission of required performance security and acceptance of goods in good condition on the basis of certification by the concerned department of NIFT, Kolkata. No payment will be made in advance. Deduction (TDS, etc.), if any and as applicable, will be made during payment.
15. The rates quoted should be in INR only.
16. The annual turnover of the tenderer during the last two years [FY: 2014-2015; 2015-2016] should not be less than **Rs.10.00 Crore per year**.
17. The bidder should be authorized dealer/partner/reseller etc. of the concerned OEM and submit the authorization certificate; however, tender specific authorization of the respective OEM may also be considered and tenderer should enclose a copy of the same with the Technical bid.
18. The Renovation and Up-Gradation of Network Infrastructure (LAN & WiFi) should be executed at NIFT Campus, Block-LA, Plot-3B, Sector-III, Salt Lake City, Kolkata – 700 098 by the supplier at its own cost within 10-12 weeks from the date of receiving of Work Order.
19. The schedule issued with the form of tender listing the details of item to be supplied must not be altered by the tenderer. Any modifications/ alterations of the schedule considered necessary by the tenderer, should be in a separate letter accompanying the tender.
20. The financial bid will be valid in the case of all the tenders for at least 3 months from the date of opening of the tender (Financial bid). In the case of the successful bidder, rates quoted will be valid for the entire period till the commissioning of the work.
21. The tender is liable to be rejected if complete information is not given there-in, or if the particulars and data (if any) asked for in the Schedule of the tender are not filled in correctly.
22. Late submission of tender will not be considered.

NIT No.: e-08/2018(Pur-Kol)

23. Tender shall be accompanied by the relevant documents including the following:-
- Current/valid trade license
  - A client list as per sl.no.3, Annex-I
  - Total turnover of the company for last 2 years (supporting documents should be submitted)
  - Copy of GST of the company/firm
  - Copy of PAN of the company/firm
24. The full & final payment shall be made after SITC [supply, installation, testing & commissioning] for the Renovation and Up-Gradation of Network Infrastructure (LAN & WiFi), submission of bill in triplicate and satisfactory report submitted by the concerned NIFT Official(s). TDS etc., if any, will be deducted during payment.
25. The successful bidder shall deposit the **Security Deposit of 5% of the ordered value** through DD/Bank Guarantee in favour of NIFT Kolkata within two weeks from the date of receiving of **Work Order**. No interest will be paid on this deposit which will be refunded after two months on completion of warranty period of the delivered items and after adjusting dues, if any.
26. As per NIFT policy, payments and receipts of Government and Semi Government Agencies would be rounded off to the next higher rupee and in other cases the rounding off will be to nearest i.e. paise 50 or above will be rounded off to the next higher rupee and paise less than 50 will be ignored.
27. The supplier shall ensure that he himself or his authorized representative is available for proper handing over the supplies/consignments at NIFT Kolkata Centre.
28. For the specification of goods refer **Annexure 'IV'**.
29. Delivery is required to be completed within 6-8 weeks from the date of receiving of supply order. In case of delay in supply, a penalty of 0.1% of the Order Value will be imposed per day beyond the stipulated period of supply.
30. Items / goods supplied and installed should be New and Unused.
31. The vendor should have the qualified engineers/ staff to attend to After Sales Service at NIFT Kolkata Centre where the machines are to be supplied and installed during the warranty period.
32. Tender of branded/ reputed make shall only be considered. Assembled or locally manufactured items shall not be entertained.
33. For any imported machine(s) the vendor/agent should have an authorization certificate from the Manufacturing Company and should enclose a copy of the same with the Technical bid.
34. The pre-inspection /post inspection of the machines may be undertaken by NIFT Kolkata and the machines shall be accepted only after the machines are certified 'OK' by the Inspecting Engineer/Body.
35. The installation of the equipments / machineries with proper demonstration shall be the responsibility of the vendor and it should be certified as in working condition by the consignee after the installation.
36. Comprehensive warranty: The built-in warranty should be of at least of three year or as per OEM whichever is higher.
37. Support/Service and Scope of Work: After Installation & Commissioning, onsite Support & Service to be provided as and when required for any modification and configuring / up-gradation, shifting of Active and Passive components and changing of RJ45 during the warranty period [i.e. three year or as per OEM whichever is higher]. Call should be attended within 2-3 hours from the time of logging of call for uninterrupted service at NIFT, Kolkata Campus/Girls' Hostel failing which penalty will be imposed on the Security Deposit/Bank Guarantee and deduction will be made, either part or full, as may be decided by the Competent Authority of NIFT, Kolkata. Work should be executed under supervision of concerned NIFT officials and as per NIFT layout/Design.
38. For the said items, the Insurance Coverage, if any, shall be at the cost of the vendor & his responsibility shall be up to 'FOR Destination' i.e. NIFT Kolkata Centre.

**NIT No.: e-08/2018(Pur-Kol)**

39. Tenderer must sign along with company seal on each page of the tender document as a token of acceptance of tender conditions.
40. Any query/clarification with respect to the tender (T&Cs, etc.) may get cleared prior to submission of bid; concerned NIFT official(s) may be contacted in this regard in between 10.00 am to 5.00 pm on any working day with prior appointment (033-23357546). However, NIFT will not entertain or clarify any such query during post bid.
41. All disputes are subject to Kolkata Jurisdiction only.

***NIFT reserves the right to accept or reject any or all the tenders in part or whole or may cancel the tender at its sole discretion without assigning any reason whatsoever and decision of NIFT in this regard shall be final and binding. No further correspondence in this regard will be entertained.***

NIT No.: e-08/2018(Pur-Kol)

**Annexure- I**

**(TENDERER TO FILL UP THIS PAGE)**

1. a. Name of the tenderer / organization .....
- b. Name of the proprietor/partner(s).....
- c. Date of Establishment: .....
- d. Please specify as to whether Tenderer is sole proprietor/ Partnership firm/ Private or Limited Company.....

2. a. Address (Office):

- b. Telephone No.:
- c. Mobile No.:
- d. Email Id.:

3. List of reputed clients:

| Sl. No. | Client's Name | Contact Person | Contact number<br>(with email-id, if any) | Remarks, if any |
|---------|---------------|----------------|---|-----------------|
| 1       |               |                |   |                 |
| 2       |               |                |   |                 |
| 3       |               |                |   |                 |

4. Furnish copies of the following documents:

- (i) Current Trade License:
- (ii) Copy of PAN [in the name of firm/agency or proprietor]:
- (iii) GST Registration Certificate:
- (iv) Authorisation Certificate of OEM:
- (v) Document supporting yearly turnover

5. DD [enclosed] details:

1. DD no. \_\_\_\_\_, dtd. \_\_\_\_\_, amt. \_\_\_\_\_, bank \_\_\_\_\_ [Tender Cost, if downloaded]
2. DD no. \_\_\_\_\_, dtd. \_\_\_\_\_, amt. \_\_\_\_\_, bank \_\_\_\_\_ [EMD]

1. Tenderer should submit the entire set of tender papers duly signed while dropping the tender.
2. Additional paper(s) to furnish the above information may be used.

NIT No.: e-08/2018(Pur-Kol)

**ANNEXURE – II**

**TECHNICAL BID**  
**[Renovation and Up-Gradation of Network Infrastructure (LAN & WiFi)]**

| Sl. No. | Particulars  | Mention 'Yes' or 'No' |
|---------|--|-----------------------|
| 01      | Whether 'Technical' & Financial bids submitted separately and the respective envelopes superscribed properly.  |                       |
| 02      | Whether demand Draft of <b>Rs.500/-</b> (Rupees Five Hundred Only) favouring NIFT Kolkata is enclosed as tender cost (if tender document is downloaded from website/not purchased).  |                       |
| 03      | Whether Demand Draft of <b>Rs.1,20,000/-</b> (Rupees One Lakh Twenty Thousand Only) in favour of NIFT, KOLKATA is enclosed as EMD with the Technical Bid submitted.  |                       |
| 04      | Whether capable and agreed to submit 5% of the order value as Security Deposit, if purchase order is awarded.  |                       |
| 05      | Whether Trade License for this kind of jobs enclosed   |                       |
| 06      | Whether copy of GST Registration Certificate enclosed  |                       |
| 07      | Whether Copy of PAN enclosed   |                       |
| 08      | Whether price quoted as per the required specification mentioned in the Annexure 'IV' and inclusive of all taxes & other charges with delivery upto NIFT, Kolkata  |                       |
| 09      | Whether relevant document submitted showing Annual Turnover for the last two years [i.e. FY: 2014-2015; 2015-2016] is not less than Rs.10.00 Crore per year<br>[Please attach relevant documents (ITR, P&L, audited report from authorized Chartered Accountant, etc.) as a proof] |                       |
| 10      | Whether Copy of Income Tax Return for the last 2 years submitted<br>[Assessment year 2013-14; 2014-15]   |                       |
| 11      | Whether agreed to abide by all the terms & conditions of this tender   |                       |
| 12      | Whether all DDs, Annexure-I, II & III duly filled, are enclosed with this Technical Bid and Annexure-IV, duly filled, with Financial Bid   |                       |

**Part-A, MAIN CAMPUS- RENOVATION AND UP-GRADATION OF NETWORK INFRASTRUCTURE (LAN & WiFi)**

| Part A-BOQ FOR MAIN CAMPUS |                         |              |   |                    |      |
|----------------------------|-------------------------|--------------|---|--------------------|------|
| A) Active Components:      |                         |              |   |                    |      |
| SL                         | Item Type               | Make & Model | Description   | Qty./As per Actual | UoM  |
| 1                          | Core Switch             |              | 24 Port 10/100/1000Mbps L3 Managed Switch with at least 2x (10G)SFP+ slots & 2 (two) nos. of SM 1G transceiver module loaded + 3 Years Warranty Support         | 1                  | No.  |
| 2                          | Access Switch - PoE     |              | 24 Port 10/100/1000Mbps L2 Managed POE Switch with 2 x (10G) SFP+ slots loaded with at least 1 (one) no. of SM 1G transceiver module + 3 Years Warranty Support | 10                 | Nos. |
|                            | Access Switch - NON-PoE |              | 24 Port 10/100/1000Mbps L2 Managed Switch with 2 x (10G) SFP+ slots loaded with at least 1 (one) no. of SM 1G transceiver module + 3 Years Warranty Support     | 13                 | Nos. |
| 3                          | Wireless Lan Controller |              | Wireless LAN Controller(WLC) with minimum 150+ AP support + 3 Years warranty  | 1                  | No.  |
| 4                          | AP License              |              | Single AP adder License for WLC   | 33                 | Nos. |
| 5                          | Indoor Access Point     |              | Dual-band 802.11ac Indoor Wireless Access Point with Mounting Bracket + 3 Years warranty  | 32                 | Nos. |



NIT No.: e-08/2018(Pur-Kol)

|   |                      |  |   |   |      |
|---|----------------------|--|---|---|------|
| 6 | Outdoor Access Point |  | Dual-band 802.11ac Outdoor Wireless Access Point with Mounting Bracket + 3 Years warranty | 1 | Nos. |
|---|----------------------|--|---|---|------|

**Passive Components:**

| SL | Item Type               | Make & Model | Description   | Qty  | UoM   |
|----|-------------------------|--------------|---|------|-------|
| 1  | Optical Fiber Cabel     |              | 6 Core Single Mode Outdoor OFC  | 700  | Mtr.  |
| 2  | Fiber Patch Panel (LIU) |              | 24 Port fully loaded SM with SC Adapter & SC SM Pigtails                      | 2    | Nos.  |
|    |                         |              | 12 Port fully loaded SM with SC Adapter & SC SM Pigtails                      | 8    | Nos.  |
| 3  | Fiber Patch Cord        |              | Single Mode SC-LC 2-Mtr. OFC Patch Cord                                       | 22   | Nos.  |
| 4  | UTP Cable               |              | CAT6 23AWG 4-Pair UTP Cable   | 45   | Boxes |
| 5  | Informatin Outlet       |              | CAT6 I/O with Face Plate and SMB  | 420  | Nos.  |
| 6  | Patch Pannel            |              | 24 Port fully loaded CAT6 Patch Pannel  | 24   | Nos.  |
| 7  | UTP Patch Cord          |              | 1 Mtr. CAT6 UTP Patch Cord  | 480  | Nos.  |
|    |                         |              | 2 Mtr. CAT6 UTP Patch Cord  | 430  | Nos.  |
| 8  | RJ45 Connector          |              | RJ-45 Connectore for Cat6 Cable crimping.                                     | 1    | Box   |
| 9  | Network Rack            |              | 9U Wall Mount Rack with standard accorries.                                   | 7    | Nos.  |
| 10 | PVC Conduit             |              | PVC Casing/Caping or PVC Pipe for laying of UTP Cable as per site requiremet. | 3500 | Mtr.  |
| 11 | HDPE Pipe               |              | HDPE Pipe for Outdoor OFC laying  | 200  | Mtr.  |

**Details Specification of Renovation and Up-Gradation of Network Infrastrucutre (LAN & WiFi)**

**General Requirements:**

- All active components including LAN & Wi-Fi should be from single OEM.
- OEM must have ISO 9001:2008, ISO 14001:2004 certified
- Both UTP & Fiber components must be from the same OEM

**MINIMUM DESIRED TECHNICAL SPECIFICATIONS OF ACTIVE ITEMS**

**24 Port L3 Core Switch**

| S/N | Features  | Compliance (Yes/No/Equivalent or Higher) |
|-----|---|--|
|     | <b>General</b>  |  |
| 1   | The Switch should have minimum 24 x 10/100/1000 base-T Ports and 4 x 1G SFP ports populated with 2 x 1000 Base-LX modules.  |  |
| 2   | The switch should have the option to support 2x 10G SFP+ port with a module upgrade.  |  |
| 3   | Should have internal Redundant Power supply   |  |
| 4   | Support for Configuration and image rollback  |  |
| 5   | IPv4 & IPv6 Layer 3 forwarding in hardware  |  |
| 6   | Should have 4GB DRAM & 2GB Flash memory   |  |
| 7   | Switch OEM should be in the Gartner's/IDC Leaders quadrant for Wired and Wireless LAN Access Infrastructure   |  |
|     | <b>Performance</b>  |  |
| 8   | Should have stacking facility with dedicated stacking port and support minimum total stacking bandwidth of 360 Gbps. Should support stacking of eight switches into a virtual switch. |  |
| 9   | Should have 80Gbps Switching capacity & 40 Mpps forwarding rate   |  |
| 10  | Fully non-blocking backplane and wire-speed throughput with minimal latency   |  |
| 11  | MAC Address table : 30000   |  |
| 12  | Should support 24000 routes   |  |
|     | <b>Layer 3 feature</b>  |  |
| 13  | Basic IP unicast routing protocols (static, RIPv1, and RIPv2) should be supported from day 1.   |  |



NIT No.: e-08/2018(Pur-Kol)

|    |   |  |
|----|---|--|
| 14 | Should have future support for advanced routing support including OSPF, IS-IS, BGP, policy based routing & Multicast routing  |  |
|    | <b>Layer 2 feature</b>  |  |
| 15 | IEEE 802.1Q VLAN encapsulation. At least 1000 VLANs should be supported. Support for 4000 VLAN IDs.   |  |
| 16 | Support for Voice VLAN which will simplify telephony installations by keeping voice traffic on a separate VLAN for easier   |  |
| 17 | administration and troubleshooting.   |  |
| 18 | Centralized VLAN Management. VLANs created on the Core Switches should be propagated automatically.   |  |
| 19 | IEEE 802.1d, 802.1s, 802.1w, 802.3ad standard support from day-1  |  |
| 20 | Link Aggregation Protocol (LACP)  |  |
| 21 | Support for Detection of Unidirectional Links (in case of fiber cut) and to disable them to avoid problems such as spanning-tree loops.   |  |
| 22 | The Switch should be able to discover the neighboring device giving the details about the platform, IP Address, Link connected through etc, thus helping in troubleshooting connectivity problems.  |  |
| 23 | Per-port broadcast, multicast, and storm control to prevent faulty end stations from degrading overall systems performance.   |  |
| 24 | Support for Multicast VLAN registration (MVR) to continuously send multicast streams in a multicast VLAN while isolating the streams from subscriber VLANs for bandwidth and security reasons.  |  |
|    | <b>Network Security Features</b>  |  |
| 25 | Support for mechanisms to improve the network's ability to automatically identify, prevent, and respond to security threats and also to enable the switches to collaborate with third-party solutions for security-policy compliance and enforcement before a host is permitted to access the network. Thus preventing the spread of Viruses & worms. |  |
| 26 | IEEE 802.1x to allow dynamic, port-based security, providing user authentication.   |  |
| 27 | Port-based ACLs for Layer 2 interfaces to allow application of security policies on individual switch ports.  |  |
| 28 | Support for SSHv2 and SNMPv3.   |  |
| 29 | Support for Network Admission Control, IP source Guard, MAC Limiting  |  |
| 30 | RADIUS authentication to enable centralized control of the switch and restrict unauthorized users from altering the configuration.  |  |
| 31 | MAC address notification to allow administrators to be notified of users added to or removed from the network.  |  |
| 32 | Dynamic ARP Inspection or equivalent which can ensure user integrity by preventing malicious users from exploiting the insecure nature of the ARP protocol.   |  |
| 33 | DHCP snooping to allow administrators to ensure consistent mapping of IP to MAC addresses. This can be used to prevent attacks that attempt to poison the DHCP binding database, and to rate-limit the amount of DHCP traffic that enters a switch port.  |  |
| 34 | Port security to secure the access to an access or trunk port based on MAC address.   |  |
| 35 | Multilevel security on console access to prevent unauthorized users from altering the switch configuration using local database or through an external AAA Server.  |  |
| 36 | Spanning tree feature to shut down Spanning Tree Protocol enabled interfaces when BPDU's are received to avoid accidental topology loops.   |  |
| 37 | Security ACL entries – At least 1000.   |  |

NIT No.: e-08/2018(Pur-Kol)

|    | Quality of Service (QoS) & Control  |  |
|----|---|--|
| 38 | Standard 802.1p CoS and DSCP  |  |
| 39 | Control- and Data-plane QoS ACLs  |  |
| 40 | Eight egress queues per port to enable differentiated management of up to four traffic types across the stack.  |  |
| 41 | Support for congestion avoidance mechanism  |  |
| 42 | Strict priority queuing mechanisms  |  |
| 43 | There should not be any performance penalty for highly granular QoS functions.  |  |
| 44 | Future support for feature which will provide rate limiting based on source and destination IP address, source and destination MAC address, Layer 4 TCP and UDP information, or any combination of these fields, using QoS ACLs (IP ACLs or MAC ACLs), class maps, and policy maps. |  |
| 45 | Switch should support at least 1000 aggregate policies.   |  |
| 46 | <b>Management</b>   |  |
| 47 | Command Line Interface (CLI) support for configuration & troubleshooting purposes.  |  |
| 48 | For enhanced traffic management, monitoring, and analysis, upto four RMON groups (history, statistics, alarms, and events) must be supported.   |  |
| 49 | Domain Name System (DNS) support to provide IP address resolution with user-defined device names.   |  |
| 50 | FTP/ Trivial File Transfer Protocol (TFTP) to reduce the cost of administering software upgrades by downloading from a centralized location.  |  |
| 51 | Network Timing Protocol (NTP) based on RFC 1305 to provide an accurate and consistent timestamp to all intranet switches.   |  |
| 52 | SNMP v1, v2c, and v3 and Telnet interface support delivers comprehensive in-band management, and a CLI-based management console provides detailed out-of-band management.   |  |
| 53 | RMON I and II standards   |  |
| 54 | SNMPv1, SNMPv2c, and SNMPv3   |  |
|    | <b>Certification</b>  |  |
| 55 | The switch should be common criteria EAL4 or NDPP certified.  |  |

## 24 port PoE Access Switch

| S/N | Specification   | Compliance<br>(Yes/No/Equivalent or<br>Higher) |
|-----|---|--|
|     | <b>General Features</b>   |  |
| 56  | The switch should have minimum 24 x 10/100/1000 Base-T POE/POE+ Ports & 2 x 10G SFP+ slots. The switch should have 360W POE Budget  |  |
| 57  | Future support for Redundant Power supply   |  |
| 58  | Should have fan for proper cooling.   |  |
|     | <b>Performance</b>  |  |
| 59  | At least 176 Gbps switching bandwidth   |  |
| 60  | Forwarding rate – At least 90 Mpps.   |  |
| 61  | Configurable at least 16000 MAC addresses   |  |
| 62  | The switch should support stacking with 80 Gbps Stacking bandwidth to stack upto 8 switches into a single virtual switch. Stacking is not required from day 1, but stacking should be supported on the proposed switch model. |  |
| 63  | DRAM 512 MB and 128 MB Flash  |  |
|     | <b>Layer-2 Features</b>   |  |
| 64  | IEEE 802.1Q VLAN encapsulation. At least 1000 VLANs should be supported. Support for 4000 VLAN IDs.   |  |

NIT No.: e-08/2018(Pur-Kol)

|    |   |  |
|----|---|--|
| 65 | Support for Automatic Negotiation of Trunking Protocol, to help minimize the configuration & errors.  |  |
| 66 | Centralized VLAN Management. VLANs created on the Core Switches should be propagated automatically.   |  |
| 67 | Spanning-tree Enhancements for fast convergence   |  |
| 68 | IEEE 802.1d, 802.1s, 802.1w, 802.3ad, 802.3at, 802.3af  |  |
| 69 | Spanning-tree root guard feature to prevent other edge switches becoming the root bridge.   |  |
| 70 | IGMPv3. Support for at least 1000 IGMP Groups. IGMP filtering.  |  |
| 71 | Link Aggregation Protocol (LACP)  |  |
| 72 | Support for UDLD (in case of fiber cut) and to disable them to avoid problems such as spanning-tree loops.  |  |
| 73 | The Switch should be able to discover the neighboring device of the same vendor giving the details about the platform, IP Address, Link connected through etc, thus helping in troubleshooting connectivity problems.   |  |
| 74 | Per-port broadcast, multicast, and storm control to prevent faulty end stations from degrading overall systems performance.   |  |
| 75 | Local Proxy Address Resolution Protocol (ARP) to work in conjunction with Private VLAN Edge to minimize broadcasts and maximize available bandwidth.  |  |
| 76 | Multicast VLAN registration (MVR) to continuously send multicast streams in a multicast VLAN while isolating the streams from subscriber VLANs for bandwidth and security reasons.  |  |
|    | <b>Network Security Features</b>  |  |
| 77 | Support for mechanisms to improve the network's ability to automatically identify, prevent, and respond to security threats and also to enable the switches to collaborate with third-party solutions for security-policy compliance and enforcement before a host is permitted to access the network. Thus preventing the spread of Viruses & worms. |  |
| 78 | IEEE 802.1x to allow dynamic, port-based security, providing user authentication.   |  |
| 79 | Port-based ACLs for Layer 2 interfaces to allow application of security policies on individual switch ports.  |  |
| 80 | SSHv2 and SNMPv3 to provide network security by encrypting administrator traffic during Telnet and SNMP sessions.   |  |
| 81 | Bidirectional data support on the Mirrored port to allow the intrusion detection system (IDS) to take action when an intruder is detected.  |  |
| 82 | RADIUS authentication to enable centralized control of the switch and restrict unauthorized users from altering the configuration.  |  |
| 83 | MAC address notification to allow administrators to be notified of users added to or removed from the network.  |  |
| 84 | DHCP snooping to allow administrators to ensure consistent mapping of IP to MAC addresses. This can be used to prevent attacks that attempt to poison the DHCP binding database, and to rate-limit the amount of DHCP traffic that enters a switch port.  |  |
| 85 | Port security to secure the access to an access or trunk port based on MAC address.   |  |
| 86 | Multilevel security on console access to prevent unauthorized users from altering the switch configuration using local database or through an external AAA Server.  |  |
| 87 | BPDU Guard to shut down Spanning Tree Protocol PortFast-enabled interfaces when BPDU's are received to avoid accidental topology loops.   |  |
| 88 | Should support 500 IPv4 ACL entries, 500 IPv6 ACL entries,  |  |
|    | <b>Quality of Service (QoS) &amp; Multicast</b>   |  |
| 89 | Standard 802.1p CoS and DSCP  |  |
| 90 | Control- and Data-plane QoS ACLs, Cross-stack QoS   |  |
| 91 | Up to eight egress queues per port  |  |
| 92 | Strict priority queuing mechanisms  |  |
| 93 | There should not be any performance penalty for highly granular QoS functions.  |  |

NIT No.: e-08/2018(Pur-Kol)

|     |  |  |
|-----|--|--|
| 94  | Committed information rate (CIR) function to provide bandwidth in increments of 8 Kbps   |  |
| 95  | Rate limiting should be provided based on source and destination IP address, source and destination MAC address, Layer 4 TCP and UDP information, or any combination of these fields, using QoS ACLs (IP ACLs or MAC ACLs), class maps, and policy maps. |  |
| 96  | Flow-based rate limiting and up to 200 aggregate or individual policers per port   |  |
| 97  | Shaped Round Robin (SRR) scheduling and Weighted Tail Drop (WTD) congestion avoidance.   |  |
| 98  | 2000 IPv4 & IPv6 Unicast Routes  |  |
| 99  | 1000 IPv4 Multicast Groups, 1000 IPv6 Multicast Groups   |  |
|     | <b>Management</b>  |  |
| 100 | Superior manageability Features  |  |
| 101 | Command Line Interface (CLI) support for configuration & troubleshooting purposes.   |  |
| 102 | For enhanced traffic management, monitoring, and analysis, upto four RMON groups (history, statistics, alarms, and events) must be supported.  |  |
| 103 | Layer 2 trace route to ease troubleshooting by identifying the physical path that a packet takes from source to destination.   |  |
| 104 | Domain Name System (DNS) support to provide IP address resolution with user-defined device names.  |  |
| 105 | FTP/ Trivial File Transfer Protocol (TFTP) to reduce the cost of administering software upgrades by downloading from a centralized location.   |  |
| 106 | Network Timing Protocol (NTP) based on RFC 1305 to provide an accurate and consistent timestamp to all intranet switches.  |  |
| 107 | SNMP v1, v2c, and v3 and Telnet interface support delivers comprehensive in-band management, and a CLI-based management console provides detailed out-of-band management.  |  |
| 108 | RMON I and II standards  |  |
|     | <b>Certification:</b>  |  |
| 109 | The switch should be Common Criteria EAL4 or NDPP certified and IPv6 Ready Logo certified (The supporting URL and certification link need to be attached with the Bid)   |  |

**24 port Non-PoE Access Switch**

| S/N | Features  | Compliance (Yes/No/Equivalent or Higher) |
|-----|---|--|
|     | <b>General Features</b>   |  |
| 110 | The switch should have minimum 24 x 10/100/1000 Base-T Ports & 2 x 10G SFP+ slots.  |  |
| 111 | Future support for Redundant Power supply   |  |
| 112 | Should have fan for proper cooling.   |  |
|     | <b>Performance</b>  |  |
| 113 | At least 176 Gbps switching bandwidth   |  |
| 114 | Forwarding rate – At least 90 Mpps.   |  |
| 115 | Configurable at least 16000 MAC addresses   |  |
| 116 | The switch should support stacking with 80 Gbps Stacking bandwidth to stack upto 8 switches into a single virtual switch. Stacking is not required from day 1, but stacking should be supported on the proposed switch model. |  |

NIT No.: e-08/2018(Pur-Kol)

|     |   |  |
|-----|---|--|
| 117 | DRAM 512 MB and 128 MB Flash  |  |
|     | <b>Layer-2 Features</b>   |  |
| 118 | IEEE 802.1Q VLAN encapsulation. At least 1000 VLANs should be supported. Support for 4000 VLAN IDs.   |  |
| 119 | Support for Automatic Negotiation of Trunking Protocol, to help minimize the configuration & errors.  |  |
| 120 | Centralized VLAN Management. VLANs created on the Core Switches should be propagated automatically.   |  |
| 121 | Spanning-tree Enhancements for fast convergence   |  |
| 122 | IEEE 802.1d, 802.1s, 802.1w, 802.3ad,   |  |
| 123 | Spanning-tree root guard feature to prevent other edge switches becoming the root bridge.   |  |
| 124 | IGMPv3. Support for at least 1000 IGMP Groups. IGMP filtering.  |  |
| 125 | Link Aggregation Protocol (LACP)  |  |
| 126 | Support for UDLD (in case of fiber cut) and to disable them to avoid problems such as spanning-tree loops.  |  |
| 127 | The Switch should be able to discover the neighboring device of the same vendor giving the details about the platform, IP Address, Link connected through etc, thus helping in troubleshooting connectivity problems.   |  |
| 128 | Per-port broadcast, multicast, and storm control to prevent faulty end stations from degrading overall systems performance.   |  |
| 129 | Local Proxy Address Resolution Protocol (ARP) to work in conjunction with Private VLAN Edge to minimize broadcasts and maximize available bandwidth.  |  |
| 130 | Multicast VLAN registration (MVR) to continuously send multicast streams in a multicast VLAN while isolating the streams from subscriber VLANs for bandwidth and security reasons.  |  |
|     | <b>Network Security Features</b>  |  |
| 131 | Support for mechanisms to improve the network's ability to automatically identify, prevent, and respond to security threats and also to enable the switches to collaborate with third-party solutions for security-policy compliance and enforcement before a host is permitted to access the network. Thus preventing the spread of Viruses & worms. |  |
| 132 | IEEE 802.1x to allow dynamic, port-based security, providing user authentication.   |  |
| 133 | Port-based ACLs for Layer 2 interfaces to allow application of security policies on individual switch ports.  |  |
| 134 | SSHv2 and SNMPv3 to provide network security by encrypting administrator traffic during Telnet and SNMP sessions.   |  |
| 135 | Bidirectional data support on the Mirrored port to allow the intrusion detection system (IDS) to take action when an intruder is detected.  |  |
| 136 | RADIUS authentication to enable centralized control of the switch and restrict unauthorized users from altering the configuration.  |  |
| 137 | MAC address notification to allow administrators to be notified of users added to or removed from the network.  |  |

NIT No.: e-08/2018(Pur-Kol)

|     |  |  |
|-----|--|--|
| 138 | DHCP snooping to allow administrators to ensure consistent mapping of IP to MAC addresses. This can be used to prevent attacks that attempt to poison the DHCP binding database, and to rate-limit the amount of DHCP traffic that enters a switch port. |  |
| 139 | Port security to secure the access to an access or trunk port based on MAC address.  |  |
| 140 | Multilevel security on console access to prevent unauthorized users from altering the switch configuration using local database or through an external AAA Server.   |  |
| 141 | BPDU Guard to shut down Spanning Tree Protocol PortFast-enabled interfaces when BPDU's are received to avoid accidental topology loops.  |  |
| 142 | Should support 500 IPv4 ACL entries, 500 IPv6 ACL entries,   |  |
|     | <b>Quality of Service (QoS) &amp; Multicast</b>  |  |
| 143 | Standard 802.1p CoS and DSCP   |  |
| 144 | Control- and Data-plane QoS ACLs, Cross-stack QoS  |  |
| 145 | Up to eight egress queues per port   |  |
| 146 | Strict priority queuing mechanisms   |  |
| 147 | There should not be any performance penalty for highly granular QoS functions.   |  |
| 148 | Committed information rate (CIR) function to provide bandwidth in increments of 8 Kbps   |  |
| 149 | Rate limiting should be provided based on source and destination IP address, source and destination MAC address, Layer 4 TCP and UDP information, or any combination of these fields, using QoS ACLs (IP ACLs or MAC ACLs), class maps, and policy maps. |  |
| 150 | Flow-based rate limiting and up to 200 aggregate or individual policers per port   |  |
| 151 | Shaped Round Robin (SRR) scheduling and Weighted Tail Drop (WTD) congestion avoidance.   |  |
| 152 | 2000 IPv4 & IPv6 Unicast Routes  |  |
| 153 | 1000 IPv4 Multicast Groups, 1000 IPv6 Multicast Groups   |  |
|     | <b>Management</b>  |  |
| 154 | Superior manageability Features  |  |
| 155 | Command Line Interface (CLI) support for configuration & troubleshooting purposes.   |  |
| 156 | For enhanced traffic management, monitoring, and analysis, upto four RMON groups (history, statistics, alarms, and events) must be supported.  |  |
| 157 | Layer 2 trace route to ease troubleshooting by identifying the physical path that a packet takes from source to destination.   |  |
| 158 | Domain Name System (DNS) support to provide IP address resolution with user-defined device names.  |  |
| 159 | FTP/ Trivial File Transfer Protocol (TFTP) to reduce the cost of administering software upgrades by downloading from a centralized location.   |  |
| 160 | Network Timing Protocol (NTP) based on RFC 1305 to provide an accurate and consistent timestamp to all intranet switches.  |  |
| 161 | SNMP v1, v2c, and v3 and Telnet interface support delivers comprehensive in-band management, and a CLI-based management console provides detailed out-of-band management.  |  |
| 162 | RMON I and II standards  |  |
|     | <b>Certification:</b>  |  |

NIT No.: e-08/2018(Pur-Kol)

|     |  |  |
|-----|--|--|
| 163 | The switch should be Common Criteria EAL4 or NDPP certified and IPv6 Ready Logo certified (The supporting URL and certification link need to be attached with the Bid) |  |
|-----|--|--|

**Wireless Controller Specifications:-**

| S/N | Features   | Compliance<br>(Yes/No/Equivalent or Higher) |
|-----|--|---|
| 1   | <b>Hardware Specifications</b>   |   |
| 2   | Must be compliant with IEEE CAPWAP or equivalent for controller-based WLANs.   |   |
| 3   | Should have atleast 4 x 1G Base-T ports.   |   |
| 4   | Should support both centralized as well as distributed traffic forwarding architecture with L3 roaming support from day 1. Should have IPv6 support from day one.  |   |
| 5   | Controller should have hot-swappable internal redundant power supplies.  |   |
| 6   | Controller should support minimum 3000 concurrent devices.   |   |
| 7   | WLAN controller should support 35 Access points from day 1. It should be scalable to support upto 150 Access Points without any hardware change.   |   |
| 8   | Should be rack-mountable. Required accessories for rack mounting to be provided.   |   |
| 9   | WLAN controller should provide Application visibility with both traffic forwarding mode i.e when traffic coming to controller and when traffic moving locally from Ap to connected access switch. Admin should have option to create policies to allow or deny access based on applications. |   |
| 10  | WLC should support AP License Migration from one WLC to another  |   |
| 11  | Should support minimum 4000 VLANs  |   |
| 12  | WLAN controller should support 802.11ac wave 2   |   |
| 13  | the controller should have overall throughput of 4Gbps   |   |
| 14  | <b>Wireless Controller Features</b>  |   |
| 15  | Must support stateful switchover between active and standby controller in a sub second time frame.   |   |
| 16  | WLC should support L2 and L3 roaming for IPv4 and IPv6 clients   |   |
| 17  | WLC should support guest-access functionality for IPv6 clients.  |   |
| 18  | Should support IEEE 802.1p priority tag.   |   |
| 19  | Should ensure WLAN reliability by proactively determining and adjusting to changing RF conditions.   |   |
| 20  | Should provide real-time radio power adjustments based on changing environmental conditions and signal coverage adjustments.   |   |
| 21  | Should support automatic radio channel adjustments for intelligent channel switching and real-time interference detection.   |   |
| 22  | Should support client load balancing to balance the number of clients across multiple APs to optimize AP and client throughput.  |   |
| 23  | Should support policy based forwarding to classify data traffic based on ACLs  |   |
| 24  | WLC should support PMIPv6 and EoGRE tunnels on northbound interface  |   |
| 25  | Should support flexible DFS to prevent additional 20/40 Mhz channels from going unused   |   |
| 26  | Should support dynamic bandwidth selection among 20Mhz, 40 Mhz and 80Mhz channels, ensuring one access point on 20Mhz and another on 80 Mhz channel connected on the same controller at same WLAN group.   |   |
| 27  | Should support minimum 500 WLANs   |   |
| 28  | Should support dynamic VLAN assignment   |   |
| 29  | Should support Hot Spot 2.0  |   |
| 30  | To deliver optimal bandwidth usage, reliable multicast must use single session between AP  |   |



NIT No.: e-08/2018(Pur-Kol)

|    |  |  |
|----|--|--|
|    | and Wireless Controller.   |  |
| 31 | Should able to do dynamic channel bonding based on interference detected on particular channel.  |  |
| 32 | Must support coverage hole detection and correction that can be adjusted on a per WLAN basis.  |  |
| 33 | Must support RF Management with 40 MHz and 80 Mhz channels with 802.11n & 802.11ac   |  |
| 34 | Should provide visibility to Network airtime in order to set the airtime policy enforcement  |  |
| 35 | Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.   |  |
| 36 | Must be able to restrict the number of logins per user.  |  |
| 37 | Proposed solution should have support for policy based automation for wired and wireless and the proposed wireless solution to be seamlessly integrated with software driven architecture which can provide network automation, assurance & security |  |
| 38 | <b>Security</b>  |  |
| 39 | Should support web-based authentication to provide a browser-based environment to authenticate clients that do not support the IEEE 802.1X supplicant.   |  |
| 40 | WLC should support web based authentication in different traffic forwarding modes i.e Central switching and Local switching when traffic move locally from AP to connected switch.   |  |
| 41 | Should support port-based and SSID-based IEEE 802.1X authentication.   |  |
| 42 | Should support MAC authentication to provide simple authentication based on a user's MAC address.  |  |
| 43 | WLC should be able to exclude clients based on excessive/multiple authentication failure.  |  |
| 44 | Shall support AES or TKIP encryption to secure the data integrity of wireless traffic  |  |
| 45 | Shall support the ability to classify over 20 different types of interference with in 5 to 30 seconds.   |  |
| 46 | Shall able to provide an air quality index for ensuring the better performance   |  |
| 47 | Shall able to provide real time chart showing interference per access point on per radio and per-channel basis.  |  |
| 48 | Should support AP location-based user access to control the locations where a wireless user can access the network   |  |
| 49 | Should support Public Key Infrastructure (PKI) to control access   |  |
| 50 | Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.  |  |
| 51 | WLC Shall support WIDS/WIPS, and spectral analysis from day 1.   |  |
| 52 | WLC should detect if someone connect a Rogue Access Point in network and able to take appropriate action to contain rogue Access point.  |  |
| 53 | In case of Access point connected in remote locations over WAN, containment should happen even if WAN is down.   |  |
| 54 | WLC should detect and protect an Ad-hoc connection when a connected user forming a network with other system without an AP or try enabling bridging between two interface  |  |
| 55 | WLC should detect if a user try to impersonate a management frame.   |  |
| 56 | WLC should detect and take appropriate containment action if a smartphone user using tethering to connect other device.  |  |
| 57 | WLC should detect and protect if a user try to spoof mac address of valid client or AP for unauthorized access/authentication.   |  |
| 58 | WLC should detect if a user trying to do internet sharing through a valid system to an unauthorized device.  |  |
| 59 | <b>Management &amp; QoS</b>  |  |
| 60 | Should support SNMPv3, SSHv2 and SSL for secure management.  |  |
| 61 | Should support encrypted mechanism to securely upload/download software image to and from Wireless controller.   |  |
| 62 | Should provide visibility between a wired and wireless network using IEEE 802.1AB Link Layer Discovery Protocol (LLDP) and sFlow/equivalent.   |  |

NIT No.: e-08/2018(Pur-Kol)

|    |  |  |
|----|--|--|
| 63 | Should support AP Plug and Play (PnP) deployment with zero-configuration capability  |  |
| 64 | Should support AP grouping to enable administrator to easily apply AP-based or radio-based configurations to all the APs in the same group   |  |
| 65 | Should support selective firmware upgrade APs, typically to a group of APs minimize the impact of up-gradation   |  |
| 66 | Should have a suitable serial console port.  |  |
| 67 | Should have Voice and Video Call Admission and Stream prioritization for preferential QOS  |  |
| 68 | Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one with different traffic forwarding modes i.e central switching with WLC and local switching when traffic move locally from AP to connected switch. |  |
| 69 | Should be able to do application visibility for application running behind HTTP proxy.   |  |
| 70 | Support profiling of wireless devices based on known protocols like http and dhcp to identify clients  |  |
| 71 | Should support visibility and control based on the type of applications  |  |

Indoor Wireless Access Point 802.11b/g/n/802.11ac

| S/N | Features   | Compliance (Yes/No/Equivalent or Higher) |
|-----|--|--|
| 1   | Access Points proposed must include radios for 2.4 GHz and 5 GHz with 802.11ac Wave 2.   |  |
| 2   | An access point must include a standard OEM provided Mounting brackets for mounting on Ceiling or Roof top.  |  |
| 3   | Access point must support spectrum intelligence across 20-, 40-, and 80-MHz-wide channels to combat performance problems due to wireless interference. |  |
| 4   | Access point should have console port  |  |
| 5   | Must have 3dBi 2.4Ghz Antenna & 5 dBi 5.0Ghz Antenna   |  |
| 6   | Must support 3x3 spatial streams for both 802.11ac and 802.11n client  |  |
| 7   | Access point must support a minimum of 1.9 Gbps user throughput including both the radios  |  |
| 8   | Must support minimum of 22dbm of transmit power in both 2.4Ghz and 5Ghz radios. And should follow the WPC norms.                                       |  |
| 9   | Should support Multiuser MIMO (MU-MIMO)  |  |
| 10  | Must support AP enforced load-balance between 2.4Ghz and 5Ghz band.  |  |
| 11  | Must incorporate radio resource management for power, channel, coverage hole detection and performance optimization                                    |  |
| 12  | Must have -100 dB or better Receiver Sensitivity.  |  |
| 13  | Must support Proactive Key Caching and/or other methods for Fast Secure Roaming.   |  |
| 14  | Must support Management Frame Protection.  |  |
| 15  | Should support locally-significant certificates on the APs using a Public Key Infrastructure (PKI).  |  |
| 16  | Access Points must support Hardware-based encrypted user data and management traffic between controller and Access point for better security.          |  |
| 17  | Must support the ability to serve clients and monitor the RF environment concurrently.   |  |
| 18  | Same model AP that serves clients must be able to be dedicated to monitoring the RF environment.   |  |
| 19  | Should support mesh capabilities for temporary connectivity in areas where no Ethernet cabling.  |  |
| 20  | Mesh support should support QoS for voice over wireless.   |  |

NIT No.: e-08/2018(Pur-Kol)

|    |   |  |
|----|---|--|
| 21 | Must be plenum-rated (UL2043).  |  |
| 22 | Must support 16 WLANs per AP for SSID deployment flexibility.   |  |
| 23 | Must continue serving clients when WAN link to controller is back up again, should not reboot before joining  |  |
| 24 | The APs must support centralized wireless mode with the use of a controller, but the APs must also support operation in autonomous mode without the presence of any controller, when needed |  |
| 25 | When operated in remote AP mode, the AP must not disconnect any clients when the connection to the controller fails or in the case the failed connection has been restored again.           |  |
| 26 | When operated in remote AP mode, the AP must be able to authenticate new users with local radius server directly at the AP itself in case of link failure to controller.                    |  |
| 27 | Must support telnet and/or SSH login to APs directly for troubleshooting flexibility.   |  |
| 28 | Must support Power over Ethernet, local power (DC Power), and power injectors.  |  |
| 29 | 802.11e and WMM   |  |
| 30 | Must support Reliable Multicast to Unicast conversion to maintain video quality at AP level   |  |
| 31 | Must support QoS and Video Call Admission Control capabilities.   |  |
| 32 | Access Point should 802.11 DFS certified  |  |

**Outdoor WIRELESS ACCESS POINT 802.11b/g/n/802.11ac**

| Sr. No. | Specification  | Compliance (Yes/No/Equivalent or Higher) |
|---------|--|--|
| 1       | Access Points proposed must include radios for both 2.4 GHz and 5 GHz.   |  |
| 2       | AP should support dual band antenna ports.   |  |
| 3       | Must support a variety of antenna options. (Omni and directional)  |  |
| 4       | Must have -88 dB or better Receiver Sensitivity.   |  |
| 5       | Must support 2X2 multiple-input multiple-output (MIMO) with two spatial streams  |  |
| 6       | Must support 802.11ac, Wave 2 and backward compatible with 802.11n standards   |  |
| 7       | Must support data rates upto 1.3 Gbps on 5GHz radio.   |  |
| 8       | Must support 80 MHz wide channels in 5 GHz.  |  |
| 9       | Must support WAP enforced load-balance between 2.4GHz and 5GHz band.   |  |
| 10      | Should support configuring the access point as network connected sensor to access any network location covered by the access point to get real-time Spectrum analysis data   |  |
| 11      | Must support upto 28dbm or higher of transmit power  |  |
| 12      | Accesspoint should 802.11ac, 802.11n and 802.11a/b/g Beamforming   |  |
| 13      | The Wireless Backhaul/Mesh shall operate in 5Ghz   |  |
| 14      | Support Encrypted and authenticated connectivity between all backhaul components   |  |
| 15      | Access point should have multiple wired uplink interfaces including 10/100/1000BASE-T Ethernet autosensing (RJ-45) and a build-in SFP port   |  |
| 16      | Wireless AP should support beamforming technology to improve downlink performance of all mobile devices, including one-, two-, and three-spatial-stream devices on 802.11ac without taking the inputs from client. |  |

NIT No.: e-08/2018(Pur-Kol)

|    |   |  |
|----|---|--|
| 17 | Wireless AP Should able to detect and classify non-Wi-Fi wireless transmissions.  |  |
| 18 | Should support configuring the access point as network connected sensor to access any network location covered by the access point to get real-time Spectrum analysis data. |  |
| 19 | Must incorporate radio resource management for power, channel, coverage hole detection and performance optimization   |  |
| 20 | Access point shall support powering from AC /DC/ UPOE.  |  |
| 21 | Access point shall support pole, wall and Cable strand mounting options.  |  |
| 22 | The equipment shall support up to 100 MPH sustained winds & 140 MPH wind gusts.   |  |
| 23 | The Access point shall be IP67 and NEMA rated   |  |
| 24 | The Access point shall support operating temperature of -40 to 65°C   |  |
| 25 | The Access point shall support Storage temperature of -50 to 70°C   |  |
| 26 | 802.11e and WMM   |  |
| 27 | WiFi Alliance Certification for WMM and WMM power save  |  |
| 28 | Must support Reliable Multicast to Unicast conversion to maintain video quality at AP level   |  |
| 29 | Must support QoS and Video Call Admission Control capabilities.   |  |
| 30 | Must support the ability to serve clients and monitor the RF environment concurrently.  |  |
| 31 | Must support Spectrum analysis including @ 80 MHz   |  |
| 32 | Same model AP that serves clients must be able to be dedicated to monitoring the RF environment.  |  |
| 33 | Should support mesh capabilities for temporary connectivity in areas with no Ethernet cabling.  |  |
| 34 | Should have and option of configuring all the antennae port via software to run all on dual band or any single band configuration.  |  |
| 35 | Must support 16 WLANs per AP for BSSID deployment flexibility.  |  |
| 36 | Must support telnet and SSH login to APs directly for troubleshooting flexibility.  |  |

#### MINIMUM DESIRED TECHNICAL SPECIFICATIONS OF PASSIVE ITEMS

##### SM Fiber optic Cable

| Feature                            | Specification  | Compliance (Yes/No/Equivalent or Higher) |
|------------------------------------|--|--|
| <b>Cable Type</b>                  | <b>Single Mode, OS2, Armored, Loose Tube – Unitube, CSTA, Jelly Filled</b>           |  |
| Fiber type                         | 9/ 125, Telcordia's GR-20 and ITU-T 652.D Compliance, <b>OS2</b>                     |  |
| No. of cores                       | 6/12/24  |  |
| Cable Construction                 | BELLCORE GR 20 / IEC 794-1   |  |
| Nominal Diameter                   | Not less than 09mm   |  |
| Cable Sheath Thickness             | Not less than 2mm  |  |
| Water blocking compound            | Cable must have Water blocking compound  |  |
| Strength Member                    | Should have FRP strength member  |  |
| Cable outer jacket Specification   | Must have Dielectric and Metallic Sheath Cable. Cable must be direct buried          |  |
| <b>Attenuation :</b>               |  |  |
| @1310nm                            | < = 0.33 dB/Km   |  |
| @1550nm                            | < = 0.19 dB/Km   |  |
| Coating / Cladding non-circularity | <= 12 microns  |  |
| Zero Dispersion Slope              | <= 0.092 ps / sqnm-km  |  |
| Max (chromatic) dispersion         | <5.3 ps/nm-km @1270-1340 nm<br><3.5 ps/nm-km @1285-1330 nm<br><185 ps/nm-km @1550 nm |  |

NIT No.: e-08/2018(Pur-Kol)

|                           |  |  |
|---------------------------|--|--|
| Fiber core                | UL Listed  |  |
| Tensile rating            | Not less than 1000N  |  |
| Maximum Crush resistance  | Not less than 44N/mm   |  |
| Operating Temperature     | -30 Degree C to +70 Degree C   |  |
| Storage Temperature       | -40°C to + 75°C  |  |
| Micro bending coating     | CPC coating  |  |
| Armor                     | Corrugated Steel tape Armor  |  |
| Colour                    | Black  |  |
| Inner jacket              | High density polyethylene  |  |
| Outer jacket              | High density polyethylene, anti - termite, anti - rodent suitable for direct burial application.   |  |
| Coating                   | Polymer Coating over Corrugated Steel tape   |  |
| Secondary Buffer Material | Jelly filled Unitube.  |  |
| Min Bend                  | 20 X Outer Diameter  |  |
| Weight                    | 90 Kg/Km (Approx)  |  |
| Test (Must pass)          | IEC794-1-E1 , IEC794-1-E2 , IEC794-1-E3 , IEC794-1-E4 , EIA-455-104 , IEC794-1-E7 , IEC794-1-E10 , IEC794-1-F1 , IEC794-1-F3 and IEC794-1-F5 |  |
| Marking                   | Identification marking at regular intervals of 1 meter   |  |
| SM Fiber type             | Silica glass   |  |
| Qualifies                 | EIA/TIA 568B and ISO/IEC 11801   |  |
|                           | ICEA-640   |  |
|                           | UL-94V-O   |  |
| Complies                  | ANSI/TIA 568.C.0   |  |
| Approval                  | UL Listed Fiber  |  |
| RoHS                      | RoHS Compliant   |  |
| Length of cable drum      | (+/-) 4000 Mtrs  |  |

**12/24 Port SM Fiber Optic LIU**

| Feature                           | Specification   | Compliance (Yes/No/Equivalent or Higher) |
|-----------------------------------|---|--|
| <b>Fiber optic patch panel</b>    | <b>19-inch, Rack Mount Fiber optic patch panel</b>                                    |  |
| Height                            | 1 U, 1.75 inches  |  |
| No. of fibers                     | 6/12/24   |  |
| Material                          | Complete Aluminium Alloy housing, fully powder coated                                 |  |
|                                   | Splice tray and cable spools to be included from day one without any additional cost  |  |
|                                   | Fully cushioned splice holder containing grooves for fixing splice protective sleeves |  |
| No. of OSP Cables for termination | Minimum 2   |  |
| Grounding                         | 2 Nos. of earthing lugs, pre-loaded   |  |
| Cable Management rings            | Front and rear cable management rings, pre-loaded                                     |  |
| No. of 6-port adapter plates      | 4 max   |  |
| RoHS                              | RoHS Compliant  |  |
| <b>Fiber Optic adapter plate</b>  | <b>6-port, SC-Style, SM</b>   |  |
| Attenuation                       | Max of 0.75 dB per mated pair   |  |
| Insertion Loss                    | < 0.3 dB max  |  |
| Durability (1000 Matings)         | < 0.2 dB max  |  |
| Operation Temp.                   | -40°C to 80°C   |  |
| Material Ferrule                  | Zirconia (for SM)   |  |
| ROHS                              | RoHS Compliant  |  |
| UL                                | UL Listed   |  |
| IEC                               | IEC-874   |  |
| Compliant                         | EIA/TIA 568-C.0   |  |
| ISO/IEC Certificate               | ISO/IEC 11081   |  |

NIT No.: e-08/2018(Pur-Kol)

|                                |   |  |
|--------------------------------|---|--|
| RoHS                           | RoHS verified.  |  |
| Product Features & Compliances | Zirconia or Phosphor Bronze Sleeve                                |  |
| Compliant                      | As per ISO/IEC 11081  |  |
| UL                             | UL Listed   |  |
| RoHS                           | RoHS Compliant  |  |
| Product Compliance             | IEC-874   |  |
| <b>SM Pigtails</b>             | Should support multiple applications including CWDM.              |  |
|                                | Available 1.6mm cordage making                                    |  |
|                                | Different color-coding for easy Identification.                   |  |
|                                | Should support Pull proof connector design                        |  |
|                                | Outside Diameter (Simplex): 1.6mm x 3.0mm                         |  |
|                                | Outside Diameter (Duplex): 1.6mm x 3.0mm                          |  |
|                                | Minimum Cable Retention Strength: 1.6mm; 11.24 lbs (50N)          |  |
|                                | Product Must have RoHS Compliant                                  |  |
|                                | CPC coating for superior micro bend and environmental performance |  |

**SM Fiber Optic Patch Cord LC-SC TYPE.**

| Feature                          | Specification                                       | Compliance<br>(Yes/No/Equivalent<br>or Higher) |
|----------------------------------|---|--|
| <b>F.O Patch Cords</b>           | <b>Patch Cord / SM patch cord LC-SC TYPE</b>        |  |
| Type                             | 1.6mm or 3mm simplex or Duplex Zipcord.             |  |
| Outside Diameter                 | (Simplex): 1.6mm x 3.0mm<br>(Duplex): 1.6mm x 3.3mm |  |
| Minimum Cable Retention Strength | 1.6mm: 11.24 lbs (50 N)                             |  |
| Insertion Loss                   | Less than 0.3 dB for SM                             |  |
| Fiber Glass Technology           | Patch Cords must be Clear Curve Fiber               |  |
| Micro bending coating            | CPC coating   |  |
| RoHS                             | RoHS Compliant                                      |  |

**UTP Cable - Cat6**

| Feature   | Specification   | Compliance<br>(Yes/No/Equivalent<br>or Higher) |
|---|---|--|
| <b>Unshielded Twisted Pair, Category 6, TIA / EIA 568-C.2</b> |   |  |
| Material:   |   |  |
| Conductors  | 23 AWG solid bare copper or better  |  |
| Insulation  | Polyethylene  |  |
| Jacket  | Sheath Fire retardant PVC Compound (FRPVC) Flame Rating : 60 deg. C As per UL 1685 CM/CMR |  |
| Pair Separator  | Cross-member fluted member  |  |
| Approvals   | UL tested for TIA/EIA-568C.2  |  |
|   | ETL verified to Cat 6   |  |
|   | Zero Bit Error verified by ETL.   |  |
| Operating temperature   | -20 Deg. C to +60 Deg. C  |  |
| Frequency tested up to  | Minimum 600 MHz   |  |
| Packing   | Box of 305 meters   |  |
| Delay Skew  | 35ns MAX.   |  |
| Impedance   | 100 Ohms + / - 6 ohms   |  |
| Performance characteristics to be provided along with bid     | Pair-to-pair and PS NEXT, ELFEXT and PSELFEXT, Return Loss, ACR and PS ACR                |  |
| Attenuation   | 22.8dB/100m at 250MHz   |  |
|   | 29.4dB/100m at 400MHz   |  |
|   | 39dB/100m at 600MHz   |  |

NIT No.: e-08/2018(Pur-Kol)

Information Outlet- Cat6

| Feature   | Specification   | Compliance<br>(Yes/No/Equivalent<br>or Higher) |
|---|---|--|
| <b>Type</b>   | <b>Unshielded Twisted Pair, Category 6, TIA / EIA 568-C.2</b>   |  |
| Durability  |   |  |
| Modular Jack  | 750 mating cycles   |  |
| Wire terminal   | 200 termination cycles  |  |
| Accessories   | Strain relief and bend-limiting boot for cable<br>It should have a Dust cover to cover the keystone.. |  |
| Approval  | UL  |  |
| Housing   | Polyphenylene oxide, 94V-0 rated  |  |
| Wiring blocks   | Polycarbonate, 94V-0 rated  |  |
| Jack contacts   | Phosphorous bronze, plated with 1.27micro-meter thick gold  |  |
| Approvals   | UL , ETL and 3P   |  |
| Performance<br>Characteristics to be<br>provided with bid | Attenuation, NEXT, PS NEXT, FEXT and Return Loss  |  |
| Material  | Spring Contact: 50m" goldover 100m" nickel  |  |
|   | ROHS compliant  |  |
| <b>FacePlate</b>  | <b>1-port, White surface box</b>  |  |
| Material  | ABS / UL 94 V-0   |  |
| No. of ports  | One / two   |  |
|   | High Impact Plastic Body ABS FR Grade 86 x 86 mm  |  |
|   | Flush mountable or surface mountable with a back mount frame  |  |

**24Port Cat-6 UTP Patch Pannel**

| Feature   | Specification  | Compliance<br>(Yes/No/Equivalent<br>or Higher) |
|---|--|--|
| <b>Type</b>   | <b>24-port, Unshielded Twisted Pair, Category 6, TIA / EIA 568-C.2</b> |  |
| Ports   | 24   |  |
| Port arrangement  | Keystone type. Ports must be individually replaceable.                 |  |
| Category  | Category 6   |  |
| Circuit Identification<br>Scheme                                | Icons on each of 24-ports  |  |
| Port Identification   | 9mm or 12mm Labels on each of 24-ports (to be included in supply)      |  |
| Height  | 1 U (1.75 inches)  |  |
| Durability  |  |  |
| Modular Jack  | 750 mating cycles  |  |
| Wire terminal (110 block)                                       | 200 termination cycles   |  |
| Accessories   | Strain relief and bend limiting boot for cable                         |  |
| Materials   | ROHS compliant   |  |
| Housing   | Polyphenylene oxide, 94V-0 rated                                       |  |
| Wiring blocks   | Polycarbonate, 94V-0 rated, Spring Contact: Phosphor bronze 50○" gold  |  |
| Jack contacts   | Phosphorous bronze   |  |
| Panel   | Black, powder coated steel   |  |
| Approvals   | UL , ETL   |  |
| Termination Pattern   | TIA / EIA 568 A and B;   |  |
| Performance<br>Characteristics to be<br>provided along with bid | Attenuation, NEXT, PS NEXT, FEXT and Return Loss                       |  |

**UTP Patch Cord- Cat6**

| Feature | Specification | Compliance<br>(Yes/No/Equivalent) |
|---------|---------------|-----------------------------------|
|---------|---------------|-----------------------------------|



NIT No.: e-08/2018(Pur-Kol)

| Type                | Unshielded Twisted Pair, Category 6, TIA / EIA 568-C.2          | or Higher) |
|---------------------|---|------------|
| Conductor           | 24-26 AWG stranded copper.                                      |            |
| Length              | 1 /2/3 meter  |            |
| Plug Protection     | Matching colored snag-less, boot to maintain bend radius        |            |
| Warranty            | 25-year component warranty                                      |            |
| Category            | Category 6 Plug   |            |
| Housing             | Clear polycarbonate   |            |
| Terminals           | Phosphor Bronze with gold plating , 50 micron" gold over nickel |            |
| Load bar            | PBT polyester   |            |
| Jacket              | PVC   |            |
| Insulation          | Flame Retardant Polyethylene                                    |            |
| End point connector | Factory standard connector                                      |            |
| Approvals           | UL, ETL   |            |
| Material            | ROHS compliant  |            |

### Network Rack-9U

| Feature                | Specification  | Compliance (Yes/No/Equivalent or Higher) |
|------------------------|--|--|
| Basic Structure        | Cabinet should be as per DIN 41494 standards, Basic structure of CRCA Steel (CRCA Should be "IS 513 Gr D" standard) in a welded Rigid construction frame with top, bottom and side frame at least 1.2 mm thickness., It should be able to take load of 40 Kg |  |
| Front Door             | Front Glass toughened and tinted, with easy detachable hinges. Glass Door with lock – should be easily removable type.   |  |
| Side Panel             | Fixed Side Panel with top & bottom vented for easy air flow.   |  |
| Space                  | Height - 9U overall height : 475.1mm; Usable Height : 406.1mm  |  |
|                        | Width – It should be 600mmW and 19" mounting should be there   |  |
|                        | Depth – It should be 500mm   |  |
| Wall Mounting          | Provision for easy wall mounting should be there with appropriate anchor fasteners   |  |
| Heat Management        | Rack must be provided with one fan directly mounted on the roof top as an exhaust from the cabinet. Fan should be of AC 230V with flow volume of at least 90CFM  |  |
| Standard               | Rack should conform to DIN41494 standard.  |  |
| Cable Management       | Rack should be provided with cable management accessories.1U Cable manager   |  |
| Powder Coating Details | Thickness Powder Coating of 80 to 100 Microns with scratch resistance properties.  |  |
|                        | To avoid corrosion & rusting : Rack to be powder coated with Nano ceramic pre-treatment process using a zirconium coat,  |  |
| Power Management       | Rack should have PDU, 19", 6 nos sockets of 5 Amp with Indicator, 5Amp fuse  |  |
| Manufacturers Details  | 1. Manufacturer should have ISO 18001: 2007; ISO 9001-2015 & 14001-2015 Certifications, Certificate needed to be submitted.  |  |
|                        | 2. Process of Manufacturing of rack should have ROHS complied.   |  |

### Part B, GIRLS HOSTEL - RENOVATION AND UP-GRADATION OF NETWORK INFRASTRUCTURE (LAN & WiFi)

|                              |
|------------------------------|
| Part B-BOQ FOR GIRLS' HOSTEL |
| A) Active Components:        |

NIT No.: e-08/2018(Pur-Kol)

| SL | Item Type               | Make & Model | Description   | Qty./As per Actual | UoM  |
|----|-------------------------|--------------|---|--------------------|------|
| 1  | 24 Access Switch - PoE  |              | 24 Port 10/100/1000Mbps L2 Managed POE Switch with 2 x (10G)SFP+ slots + 3 Years Warranty Support | 1                  | Nos. |
| 2  | 12 Access Switch - PoE  |              | 12 Port 10/100/1000Mbps L2 Managed POE Switch with 2 x (10G)SFP+ slots + 3 Years Warranty Support | 3                  | Nos. |
| 3  | Wireless Lan Controller |              | Wireless LAN Controller(WLC) with minimum 150+ AP support + 3 Years warranty                      | 1                  | No.  |
| 4  | AP License              |              | Single AP adder License for WLC   | 34                 | Nos. |
| 5  | Indoor Access Point     |              | Dual-band 802.11ac Indoor Wireless Access Point with Mounting Bracket + 3 Years warranty          | 33                 | Nos. |
| 6  | Outdoor Access Point    |              | Dual-band 802.11ac Outdoor Wireless Access Point with Mounting Bracket + 3 Years warranty         | 1                  | Nos. |

**Passive Components:**

| SL | Item Type      | Make & Model | Description   | Qty | UoM   |
|----|----------------|--------------|---|-----|-------|
| 1  | UTP Cable      |              | CAT6 23AWG 4-Pair UTP Cable   | 2   | Boxes |
| 2  | UTP Patch Cord |              | 1 Mtr. CAT6 UTP Patch Cord  | 40  | Nos.  |
| 3  | RJ45 Connector |              | RJ-45 Connectore for Cat6 Cable crimping.                                     | 1   | Box   |
| 4  | PVC Conduit    |              | PVC Casing/Caping or PVC Pipe for laying of UTP Cable as per site requiremet. | 200 | Mtr.  |

**General Requirements:**

- All active components including LAN & Wi-Fi should be from single OEM.
- OEM must have ISO 9001:2008, ISO 14001:2004 certified.
- Both UTP & Fiber components must be from the same OEM

**MINIMUM DESIRED TECHNICAL SPECIFICATIONS OF ACTIVE ITEMS**

**24 port PoE Access Switch**

| S/N | Specification   | Compliance (Yes/No/Equivalent or Higher) |
|-----|---|--|
|     | <b>General Features</b>   |  |
| 1   | The switch should have minimum 24 x 10/100/1000 Base-T POE/POE+ Ports & 2 x 10G SFP+ slots. The switch should have 360W POE Budget  |  |
| 2   | Future support for Redundant Power supply   |  |
| 3   | Should have fan for proper cooling.   |  |
|     | <b>Performance</b>  |  |
| 4   | At least 176 Gbps switching bandwidth   |  |
| 5   | Forwarding rate – At least 90 Mpps.   |  |
| 6   | Configurable at least 16000 MAC addresses   |  |
| 7   | The switch should support stacking with 80 Gbps Stacking bandwidth to stack upto 8 switches into a single virtual switch. Stacking is not required from day 1, but stacking should be supported on the proposed switch model. |  |
| 8   | DRAM 512 MB and 128 MB Flash  |  |
|     | <b>Layer-2 Features</b>   |  |

NIT No.: e-08/2018(Pur-Kol)

|    |   |  |
|----|---|--|
| 9  | IEEE 802.1Q VLAN encapsulation. At least 1000 VLANs should be supported. Support for 4000 VLAN IDs.   |  |
| 10 | Support for Automatic Negotiation of Trunking Protocol, to help minimize the configuration & errors.  |  |
| 11 | Centralized VLAN Management. VLANs created on the Core Switches should be propagated automatically.   |  |
| 12 | Spanning-tree Enhancements for fast convergence   |  |
| 13 | IEEE 802.1d, 802.1s, 802.1w, 802.3ad, 802.3at, 802.3af  |  |
| 14 | Spanning-tree root guard feature to prevent other edge switches becoming the root bridge.   |  |
| 15 | IGMPv3. Support for at least 1000 IGMP Groups. IGMP filtering.  |  |
| 16 | Link Aggregation Protocol (LACP)  |  |
| 17 | Support for UDLD (in case of fiber cut) and to disable them to avoid problems such as spanning-tree loops.  |  |
| 18 | The Switch should be able to discover the neighboring device of the same vendor giving the details about the platform, IP Address, Link connected through etc, thus helping in troubleshooting connectivity problems.   |  |
| 19 | Per-port broadcast, multicast, and storm control to prevent faulty end stations from degrading overall systems performance.   |  |
| 20 | Local Proxy Address Resolution Protocol (ARP) to work in conjunction with Private VLAN Edge to minimize broadcasts and maximize available bandwidth.  |  |
| 21 | Multicast VLAN registration (MVR) to continuously send multicast streams in a multicast VLAN while isolating the streams from subscriber VLANs for bandwidth and security reasons.  |  |
|    | <b>Network Security Features</b>  |  |
| 22 | Support for mechanisms to improve the network's ability to automatically identify, prevent, and respond to security threats and also to enable the switches to collaborate with third-party solutions for security-policy compliance and enforcement before a host is permitted to access the network. Thus preventing the spread of Viruses & worms. |  |
| 23 | IEEE 802.1x to allow dynamic, port-based security, providing user authentication.   |  |
| 24 | Port-based ACLs for Layer 2 interfaces to allow application of security policies on individual switch ports.  |  |
| 25 | SSHv2 and SNMPv3 to provide network security by encrypting administrator traffic during Telnet and SNMP sessions.   |  |
| 26 | Bidirectional data support on the Mirrored port to allow the intrusion detection system (IDS) to take action when an intruder is detected.  |  |
| 27 | RADIUS authentication to enable centralized control of the switch and restrict unauthorized users from altering the configuration.  |  |
| 28 | MAC address notification to allow administrators to be notified of users added to or removed from the network.  |  |
| 29 | DHCP snooping to allow administrators to ensure consistent mapping of IP to MAC addresses. This can be used to prevent attacks that attempt to poison the DHCP binding database, and to rate-limit the amount of DHCP traffic that enters a switch port.  |  |
| 30 | Port security to secure the access to an access or trunk port based on MAC address.   |  |
| 31 | Multilevel security on console access to prevent unauthorized users from altering the switch configuration using local database or through an external AAA Server.  |  |
| 32 | BPDU Guard to shut down Spanning Tree Protocol PortFast-enabled interfaces when BPDU's are received to avoid accidental topology loops.   |  |
| 33 | Should support 500 IPv4 ACL entries, 500 IPv6 ACL entries,  |  |
|    | <b>Quality of Service (QoS) &amp; Multicast</b>   |  |
| 34 | Standard 802.1p CoS and DSCP  |  |
| 35 | Control- and Data-plane QoS ACLs, Cross-stack QoS   |  |

NIT No.: e-08/2018(Pur-Kol)

|    |  |  |
|----|--|--|
| 36 | Up to eight egress queues per port   |  |
| 37 | Strict priority queuing mechanisms   |  |
| 38 | There should not be any performance penalty for highly granular QoS functions.   |  |
| 39 | Committed information rate (CIR) function to provide bandwidth in increments of 8 Kbps   |  |
| 40 | Rate limiting should be provided based on source and destination IP address, source and destination MAC address, Layer 4 TCP and UDP information, or any combination of these fields, using QoS ACLs (IP ACLs or MAC ACLs), class maps, and policy maps. |  |
| 41 | Flow-based rate limiting and up to 200 aggregate or individual policers per port   |  |
| 42 | Shaped Round Robin (SRR) scheduling and Weighted Tail Drop (WTD) congestion avoidance.   |  |
| 43 | 2000 IPv4 & IPv6 Unicast Routes  |  |
| 44 | 1000 IPv4 Multicast Groups, 1000 IPv6 Multicast Groups   |  |
|    | <b>Management</b>  |  |
| 45 | Superior manageability Features  |  |
| 46 | Command Line Interface (CLI) support for configuration & troubleshooting purposes.   |  |
| 47 | For enhanced traffic management, monitoring, and analysis, upto four RMON groups (history, statistics, alarms, and events) must be supported.  |  |
| 48 | Layer 2 trace route to ease troubleshooting by identifying the physical path that a packet takes from source to destination.   |  |
| 49 | Domain Name System (DNS) support to provide IP address resolution with user-defined device names.  |  |
| 50 | FTP/ Trivial File Transfer Protocol (TFTP) to reduce the cost of administering software upgrades by downloading from a centralized location.   |  |
| 51 | Network Timing Protocol (NTP) based on RFC 1305 to provide an accurate and consistent timestamp to all intranet switches.  |  |
| 52 | SNMP v1, v2c, and v3 and Telnet interface support delivers comprehensive in-band management, and a CLI-based management console provides detailed out-of-band management.  |  |
| 53 | RMON I and II standards  |  |
|    | <b>Certification:</b>  |  |
| 54 | The switch should be Common Criteria EAL4 or NDPP certified and IPv6 Ready Logo certified (The supporting URL and certification link need to be attached with the Bid)   |  |

**Wireless Controller Specifications:-**

| S/N | Features  | Compliance (Yes/No/Equivalent or Higher) |
|-----|---|--|
| 1   | <b>Hardware Specifications</b>  |  |
| 2   | Must be compliant with IEEE CAPWAP or equivalent for controller-based WLANs.  |  |
| 3   | Should have atleast 4 x 1G Base-T ports.  |  |
| 4   | Should support both centralized as well as distributed traffic forwarding architecture with L3 roaming support from day 1. Should have IPv6 support from day one. |  |
| 5   | Controller should have hot-swappable internal redundant power supplies.   |  |
| 6   | Controller should support minimum 3000 concurrent devices.  |  |
| 7   | WLAN controller should support 35 Access points from day 1. It should be scalable to support upto 150 Access Points without any hardware change.                  |  |
| 8   | Should be rack-mountable. Required accessories for rack mounting to be provided.  |  |

NIT No.: e-08/2018(Pur-Kol)

|    |  |  |
|----|--|--|
| 9  | WLAN controller should provide Application visibility with both traffic forwarding mode i.e when traffic coming to controller and when traffic moving locally from Ap to connected access switch. Admin should have option to create policies to allow or deny access based on applications. |  |
| 10 | WLC should support AP License Migration from one WLC to another  |  |
| 11 | Should support minimum 4000 VLANs  |  |
| 12 | WLAN controller should support 802.11ac wave 2   |  |
| 13 | the controller should have overall throughput of 4Gbps   |  |
| 14 | <b>Wireless Controller Features</b>  |  |
| 15 | Must support stateful switchover between active and standby controller in a sub second time frame.   |  |
| 16 | WLC should support L2 and L3 roaming for IPv4 and IPv6 clients   |  |
| 17 | WLC should support guest-access functionality for IPv6 clients.  |  |
| 18 | Should support IEEE 802.1p priority tag.   |  |
| 19 | Should ensure WLAN reliability by proactively determining and adjusting to changing RF conditions.   |  |
| 20 | Should provide real-time radio power adjustments based on changing environmental conditions and signal coverage adjustments.   |  |
| 21 | Should support automatic radio channel adjustments for intelligent channel switching and real-time interference detection.   |  |
| 22 | Should support client load balancing to balance the number of clients across multiple APs to optimize AP and client throughput.  |  |
| 23 | Should support policy based forwarding to classify data traffic based on ACLs  |  |
| 24 | WLC should support PMIPv6 and EoGRE tunnels on northbound interface  |  |
| 25 | Should support flexible DFS to prevent additional 20/40 Mhz channels from going unused   |  |
| 26 | Should support dynamic bandwidth selection among 20Mhz, 40 Mhz and 80Mhz channels, ensuring one access point on 20Mhz and another on 80 Mhz channel connected on the same controller at same WLAN group.   |  |
| 27 | Should support minimum 500 WLANs   |  |
| 28 | Should support dynamic VLAN assignment   |  |
| 29 | Should support Hot Spot 2.0  |  |
| 30 | To deliver optimal bandwidth usage, reliable multicast must use single session between AP and Wireless Controller.   |  |
| 31 | Should be able to do dynamic channel bonding based on interference detected on particular channel.   |  |
| 32 | Must support coverage hole detection and correction that can be adjusted on a per WLAN basis.  |  |
| 33 | Must support RF Management with 40 MHz and 80 Mhz channels with 802.11n & 802.11ac   |  |
| 34 | Should provide visibility to Network airtime in order to set the airtime policy enforcement  |  |
| 35 | Must support dynamic Airtime allocation on per WLAN, per AP, Per AP group basis.   |  |
| 36 | Must be able to restrict the number of logins per user.  |  |
| 37 | Proposed solution should have support for policy based automation for wired and wireless and the proposed wireless solution to be seamlessly integrated with software driven architecture which can provide network automation, assurance & security   |  |
| 38 | <b>Security</b>  |  |
| 39 | Should support web-based authentication to provide a browser-based environment to authenticate clients that do not support the IEEE 802.1X supplicant.   |  |
| 40 | WLC should support web based authentication in different traffic forwarding modes i.e Central switching and Local switching when traffic move locally from AP to connected switch.   |  |
| 41 | Should support port-based and SSID-based IEEE 802.1X authentication.   |  |
| 42 | Should support MAC authentication to provide simple authentication based on a user's MAC address.  |  |

NIT No.: e-08/2018(Pur-Kol)

|    |  |  |
|----|--|--|
| 43 | WLC should be able to exclude clients based on excessive/multiple authentication failure.  |  |
| 44 | Shall support AES or TKIP encryption to secure the data integrity of wireless traffic  |  |
| 45 | Shall support the ability to classify over 20 different types of interference with in 5 to 30 seconds.   |  |
| 46 | Shall able to provide an air quality index for ensuring the better performance   |  |
| 47 | Shall able to provide real time chart showing interference per access point on per radio and per-channel basis.  |  |
| 48 | Should support AP location-based user access to control the locations where a wireless user can access the network   |  |
| 49 | Should support Public Key Infrastructure (PKI) to control access   |  |
| 50 | Must be able to set a maximum per-user bandwidth limit on a per-SSID basis.  |  |
| 51 | WLC Shall support WIDS/WIPS, and spectral analysis from day 1.   |  |
| 52 | WLC should detect if someone connect a Rogue Access Point in network and able to take appropriate action to contain rogue Access point.  |  |
| 53 | In case of Access point connected in remote locations over WAN, containment should happen even if WAN is down.   |  |
| 54 | WLC should detect and protect an Ad-hoc connection when a connected user forming a network with other system without an AP or try enabling bridging between two interface  |  |
| 55 | WLC should detect if a user try to impersonate a management frame.   |  |
| 56 | WLC should detect and take appropriate containment action if a smartphone user using tethering to connect other device.  |  |
| 57 | WLC should detect and protect if a user try to spoof mac address of valid client or AP for unauthorized access/authentication.   |  |
| 58 | WLC should detect if a user trying to do internet sharing through a valid system to an unauthorized device.  |  |
| 59 | <b>Management &amp; QoS</b>  |  |
| 60 | Should support SNMPv3, SSHv2 and SSL for secure management.  |  |
| 61 | Should support encrypted mechanism to securely upload/download software image to and from Wireless controller.   |  |
| 62 | Should provide visibility between a wired and wireless network using IEEE 802.1AB Link Layer Discovery Protocol (LLDP) and sFlow/equivalent.   |  |
| 63 | Should support AP Plug and Play (PnP) deployment with zero-configuration capability  |  |
| 64 | Should support AP grouping to enable administrator to easily apply AP-based or radio-based configurations to all the APs in the same group   |  |
| 65 | Should support selective firmware upgrade APs, typically to a group of APs minimize the impact of up-gradation   |  |
| 66 | Should have a suitable serial console port.  |  |
| 67 | Should have Voice and Video Call Admission and Stream prioritization for preferential QOS  |  |
| 68 | Controller should support deep packet inspection for all user traffic across Layer 4-7 network to analyses information about applications usage, peak network usage times for all access points from day one with different traffic forwarding modes i.e central switching with WLC and local switching when traffic move locally from AP to connected switch. |  |
| 69 | Should be able to do application visibility for application running behind HTTP proxy.   |  |
| 70 | Support profiling of wireless devices based on known protocols like http and dhcp to identify clients  |  |
| 71 | Should support visibility and control based on the type of applications  |  |

Indoor Wireless Access Point 802.11b/g/n/802.11ac

| S/N | Features   | Compliance<br>(Yes/No/Equivalent<br>or Higher) |
|-----|--|--|
| 1   | Access Points proposed must include radios for 2.4 GHz and 5 GHz with 802.11ac Wave 2. |  |

NIT No.: e-08/2018(Pur-Kol)

|    |   |  |
|----|---|--|
| 2  | An access point must include a standard OEM provided Mounting brackets for mounting on Ceiling or Roof top.   |  |
| 3  | Access point must support spectrum intelligence across 20-, 40-, and 80-MHz-wide channels to combat performance problems due to wireless interference.                                      |  |
| 4  | Access point should have console port   |  |
| 5  | Must have 3dBi 2.4Ghz Antenna & 5 dBi 5.0Ghz Antenna  |  |
| 6  | Must support 3x3 spatial streams for both 802.11ac and 802.11n client   |  |
| 7  | Access point must support a minimum of 1.9 Gbps user throughput including both the radios   |  |
| 8  | Must support minimum of 22dbm of transmit power in both 2.4Ghz and 5Ghz radios. And should follow the WPC norms.  |  |
| 9  | Should support Multiuser MIMO (MU-MIMO)   |  |
| 10 | Must support AP enforced load-balance between 2.4Ghz and 5Ghz band.   |  |
| 11 | Must incorporate radio resource management for power, channel, coverage hole detection and performance optimization   |  |
| 12 | Must have -100 dB or better Receiver Sensitivity.   |  |
| 13 | Must support Proactive Key Caching and/or other methods for Fast Secure Roaming.  |  |
| 14 | Must support Management Frame Protection.   |  |
| 15 | Should support locally-significant certificates on the APs using a Public Key Infrastructure (PKI).   |  |
| 16 | Access Points must support Hardware-based encrypted user data and management traffic between controller and Access point for better security.   |  |
| 17 | Must support the ability to serve clients and monitor the RF environment concurrently.  |  |
| 18 | Same model AP that serves clients must be able to be dedicated to monitoring the RF environment.  |  |
| 19 | Should support mesh capabilities for temporary connectivity in areas where no Ethernet cabling.   |  |
| 20 | Mesh support should support QoS for voice over wireless.  |  |
| 21 | Must be plenum-rated (UL2043).  |  |
| 22 | Must support 16 WLANs per AP for SSID deployment flexibility.   |  |
| 23 | Must continue serving clients when WAN link to controller is back up again, should not reboot before joining  |  |
| 24 | The APs must support centralized wireless mode with the use of a controller, but the APs must also support operation in autonomous mode without the presence of any controller, when needed |  |
| 25 | When operated in remote AP mode, the AP must not disconnect any clients when the connection to the controller fails or in the case the failed connection has been restored again.           |  |
| 26 | When operated in remote AP mode, the AP must be able to authenticate new users with local radius server directly at the AP itself in case of link failure to controller.                    |  |
| 27 | Must support telnet and/or SSH login to APs directly for troubleshooting flexibility.   |  |
| 28 | Must support Power over Ethernet, local power (DC Power), and power injectors.  |  |
| 29 | 802.11e and WMM   |  |
| 30 | Must support Reliable Multicast to Unicast conversion to maintain video quality at AP level   |  |
| 31 | Must support QoS and Video Call Admission Control capabilities.   |  |
| 32 | Access Point should 802.11 DFS certified  |  |



NIT No.: e-08/2018(Pur-Kol)

**Outdoor WIRELESS ACCESS POINT 802.11b/g/n/802.11ac**

| Sr. No. | Specification  | Compliance (Yes/No/Equivalent or Higher) |
|---------|--|--|
| 1       | Access Points proposed must include radios for both 2.4 GHz and 5 GHz.   |  |
| 2       | AP should support dual band antenna ports.   |  |
| 3       | Must support a variety of antenna options. (Omni and directional)  |  |
| 4       | Must have -88 dB or better Receiver Sensitivity.   |  |
| 5       | Must support 2X2 multiple-input multiple-output (MIMO) with two spatial streams  |  |
| 6       | Must support 802.11ac, Wave 2 and backward compatible with 802.11n standards   |  |
| 7       | Must support data rates upto 1.3 Gbps on 5GHz radio.   |  |
| 8       | Must support 80 MHz wide channels in 5 GHz.  |  |
| 9       | Must support WAP enforced load-balance between 2.4GHz and 5GHz band.   |  |
| 10      | Should support configuring the access point as network connected sensor to access any network location covered by the access point to get real-time Spectrum analysis data   |  |
| 11      | Must support upto 28dbm or higher of transmit power  |  |
| 12      | Accesspoint should 802.11ac, 802.11n and 802.11a/b/g Beamforming   |  |
| 13      | The Wireless Backhaul/Mesh shall operate in 5Ghz   |  |
| 14      | Support Encrypted and authenticated connectivity between all backhaul components   |  |
| 15      | Access point should have multiple wired uplink interfaces including 10/100/1000BASE-T Ethernet autosensing (RJ-45) and a build-in SFP port   |  |
| 16      | Wireless AP should support beamforming technology to improve downlink performance of all mobile devices, including one-, two-, and three-spatial-stream devices on 802.11ac without taking the inputs from client. |  |
| 17      | Wireless AP Should able to detect and classify non-Wi-Fi wireless transmissions.   |  |
| 18      | Should support configuring the access point as network connected sensor to access any network location covered by the access point to get real-time Spectrum analysis data.  |  |
| 19      | Must incorporate radio resource management for power, channel, coverage hole detection and performance optimization  |  |
| 20      | Access point shall support powering from AC /DC/ UPOE.   |  |
| 21      | Access point shall support pole, wall and Cable strand mounting options.   |  |
| 22      | The equipment shall support up to 100 MPH sustained winds & 140 MPH wind gusts.  |  |
| 23      | The Access point shall be IP67 and NEMA rated  |  |
| 24      | The Access point shall support operating temperature of -40 to 65°C  |  |
| 25      | The Access point shall support Storage temperature of -50 to 70°C  |  |
| 26      | 802.11e and WMM  |  |
| 27      | WiFi Alliance Certification for WMM and WMM power save   |  |
| 28      | Must support Reliable Multicast to Unicast conversion to maintain video quality at AP level  |  |
| 29      | Must support QoS and Video Call Admission Control capabilities.  |  |
| 30      | Must support the ability to serve clients and monitor the RF environment concurrently.   |  |
| 31      | Must support Spectrum analysis including @ 80 MHz  |  |
| 32      | Same model AP that serves clients must be able to be dedicated to monitoring the RF environment.   |  |

NIT No.: e-08/2018(Pur-Kol)

|    |   |  |
|----|---|--|
| 33 | Should support mesh capabilities for temporary connectivity in areas with no Ethernet cabling.                                    |  |
| 34 | Should have an option of configuring all the antennae port via software to run all on dual band or any single band configuration. |  |
| 35 | Must support 16 WLANs per AP for BSSID deployment flexibility.  |  |
| 36 | Must support telnet and SSH login to APs directly for troubleshooting flexibility.  |  |

#### MINIMUM DESIRED TECHNICAL SPECIFICATIONS OF PASSIVE ITEMS

##### UTP Cable - Cat6

| Feature   | Specification   | Compliance (Yes/No/Equivalent or Higher) |
|---|---|--|
| <b>Unshielded Twisted Pair, Category 6, TIA / EIA 568-C.2</b> |   |  |
| Material:   |   |  |
| Conductors  | 23 AWG solid bare copper or better  |  |
| Insulation  | Polyethylene  |  |
| Jacket  | Sheath Fire retardant PVC Compound (FRPVC) Flame Rating : 60 deg. C As per UL 1685 CM/CMR |  |
| Pair Separator  | Cross-member fluted member  |  |
| Approvals   | UL tested for TIA/EIA-568C.2  |  |
|   | ETL verified to Cat 6   |  |
|   | Zero Bit Error verified by ETL.   |  |
| Operating temperature   | -20 Deg. C to +60 Deg. C  |  |
| Frequency tested up to  | Minimum 600 MHz   |  |
| Packing   | Box of 305 meters   |  |
| Delay Skew  | 35ns MAX.   |  |
| Impedance   | 100 Ohms + / - 6 ohms   |  |
| Performance characteristics to be provided along with bid     | Pair-to-pair and PS NEXT, ELFEXT and PSELFEXT, Return Loss, ACR and PS ACR                |  |
| Attenuation   | 22.8dB/100m at 250MHz   |  |
|   | 29.4dB/100m at 400MHz   |  |
|   | 39dB/100m at 600MHz   |  |

##### UTP Patch Cord- Cat6

| Feature         | Specification   | Compliance (Yes/No/Equivalent or Higher) |
|-----------------|---|--|
| <b>Type</b>     | <b>Unshielded Twisted Pair, Category 6, TIA / EIA 568-C.2</b>   |  |
| Conductor       | 24-26 AWG <b>stranded</b> copper.                               |  |
| Length          | 1 /2/3 meter  |  |
| Plug Protection | Matching colored snag-less, boot to maintain bend radius        |  |
| Warranty        | 25-year component warranty                                      |  |
| Category        | Category 6 Plug   |  |
| Housing         | Clear polycarbonate   |  |
| Terminals       | Phosphor Bronze with gold plating , 50 micron" gold over nickel |  |
| Load bar        | PBT polyester   |  |
| Jacket          | PVC   |  |
| Insulation      | Flame Retardant Polyethylene                                    |  |



राष्ट्रीय फैशन टेक्नालॉजी संस्थान, कोलकाता केन्द्र



NIT No.: e-08/2018(Pur-Kol)

|                     |                            |  |
|---------------------|----------------------------|--|
| End point connector | Factory standard connector |  |
| Approvals           | UL, ETL                    |  |
| Material            | ROHS compliant             |  |

(All above enclosures must be valid)

Date:

Signature of the tenderer with date & seal

Place:

Signature of the tenderer with date & seal



NIT No.: e-08/2018(Pur-Kol)

**Annexure-III**

**Declaration by the Tenderer**

This is to certify that I/We, before signing this tender have read and fully understood all the terms and conditions contained herein and undertake myself/ourselves to abide by them.

I/We hereby undertake that the information provided with this tender are true and the tender is liable to rejection if the same is found to be false or the information is found to have been suppressed by me/us.

**(Signature of Tenderer with seal)**

**Name:**

**Seal:**

**Address:**

**Phone No (O):**

**Date:**

NIT No.: e-08/2018(Pur-Kol)

Annexure-IV

**FINANCIAL BID**

**[RENOVATION AND UP-GRADATION OF NETWORK INFRASTRUCTURE (LAN & WIFI)]**

Name of the Tenderer:.....

**Part A-BOQ FOR MAIN CAMPUS FOR RENOVATION AND UP-GRADATION OF NETWORK INFRASTRUCTURE AT NIFT, KOLKATA**

| Particulars                  |                         |              |   | Unit Rate<br>(In Rs.)    | GST<br>(In Rs.) | Total Amount<br>(including<br>GST)(Rs.) |
|------------------------------|-------------------------|--------------|---|--------------------------|-----------------|---|
| <b>A) Active Components:</b> |                         |              |   |                          |                 |   |
| SL                           | Item Type               | Make & Model | Description   | Qty./As<br>per<br>Actual | UoM             |   |
| 1                            | Core Switch             |              | 24 Port 10/100/1000Mbps L3 Managed Switch with at least 2x (10G)SFP+ slots & 2 (two) nos. of SM 1G transceiver module loaded + 3 Years Warranty Support         | 1                        | No.             |   |
| 2                            | Access Switch - PoE     |              | 24 Port 10/100/1000Mbps L2 Managed POE Switch with 2 x (10G) SFP+ slots loaded with at least 1 (one) no. of SM 1G transceiver module + 3 Years Warranty Support | 10                       | Nos.            |   |
|                              | Access Switch - NON-PoE |              | 24 Port 10/100/1000Mbps L2 Managed Switch with 2 x (10G) SFP+ slots loaded with at least 1 (one) no. of SM 1G transceiver module + 3 Years Warranty Support     | 13                       | Nos.            |   |
| 3                            | Wireless Lan Controller |              | Wireless LAN Controller(WLC) with minimum 150+ AP support + 3 Years warranty  | 1                        | No.             |   |
| 4                            | AP License              |              | Single AP adder License for WLC   | 33                       | Nos.            |   |
| 5                            | Indoor Access Point     |              | Dual-band 802.11ac Indoor Wireless Access Point with Mounting Bracket + 3 Years warranty  | 32                       | Nos.            |   |
| 6                            | Outdoor Access Point    |              | Dual-band 802.11ac Outdoor Wireless Access Point with Mounting Bracket + 3 Years warranty   | 1                        | Nos.            |   |

**Passive Components:**

| SL | Item Type           | Make & Model | Description                    | Qty | UoM  |  |
|----|---------------------|--------------|--------------------------------|-----|------|--|
| 1  | Optical Fiber Cabel |              | 6 Core Single Mode Outdoor OFC | 700 | Mtr. |  |

Signature of Authorized person of the Firm/Agency with stamp/ seal

NIT No.: e-08/2018(Pur-Kol)

|    |                         |  |   |      |       |  |  |  |
|----|-------------------------|--|---|------|-------|--|--|--|
| 2  | Fiber Patch Panel (LIU) |  | 24 Port fully loaded SM with SC Adapter & SC SM Pigtails                      | 2    | Nos.  |  |  |  |
|    |                         |  | 12 Port fully loaded SM with SC Adapter & SC SM Pigtails                      | 8    | Nos.  |  |  |  |
| 3  | Fiber Patch Cord        |  | Single Mode SC-LC 2-Mtr. OFC Patch Cord                                       | 22   | Nos.  |  |  |  |
| 4  | UTP Cable               |  | CAT6 23AWG 4-Pair UTP Cable   | 45   | Boxes |  |  |  |
| 5  | Informatin Outlet       |  | CAT6 I/O with Face Plate and SMB  | 420  | Nos.  |  |  |  |
| 6  | Patch Pannel            |  | 24 Port fully loaded CAT6 Patch Pannel  | 24   | Nos.  |  |  |  |
| 7  | UTP Patch Cord          |  | 1 Mtr. CAT6 UTP Patch Cord  | 480  | Nos.  |  |  |  |
|    |                         |  | 2 Mtr. CAT6 UTP Patch Cord  | 430  | Nos.  |  |  |  |
| 8  | RJ45 Connector          |  | RJ-45 Connectore for Cat6 Cable crimping.                                     | 1    | Box   |  |  |  |
| 9  | Network Rack            |  | 9U Wall Mount Rack with standard accorries.                                   | 7    | Nos.  |  |  |  |
| 10 | PVC Conduit             |  | PVC Casing/Caping or PVC Pipe for laying of UTP Cable as per site requiremet. | 3500 | Mtr.  |  |  |  |
| 11 | HDPE Pipe               |  | HDPE Pipe for Outdoor OFC laying  | 200  | Mtr.  |  |  |  |

**Service Components:**

| SL                  | Item Type                    | Description  | Qty.  | UoM  |  |  |  |
|---------------------|------------------------------|--|-------|------|--|--|--|
| 1                   | UTP cbale Laying             | Laying of UTP Cable through the PVC conduit  | 13725 | Mtr. |  |  |  |
| 2                   | OFC cbale Laying             | Laying of OFC Cable through the PVC conduit  | 700   | Mtr. |  |  |  |
| 3                   | Soil Trenching & Refilling   | Hard soil cutting & refilling  | 100   | Mtr. |  |  |  |
| 4                   | Rack Fixing & Dressing       | Fixing and dressing of Rack  | 10    | Nos. |  |  |  |
| 5                   | Patch Panning Fixing         | Patch Panel fixing & Punching  | 22    | Nos. |  |  |  |
| 6                   | I/O Fixing                   | I/O Punching & fixing  | 420   | Nos. |  |  |  |
| 7                   | RJ45 Crimping                | RJ 45 connector crimping   | 35    | Nos. |  |  |  |
| 8                   | Splicing                     | Splicing of each core of fiber cable   | 132   | No   |  |  |  |
| 9                   | Installing and Configuration | Installation and Configuration of Active devices, Testing and Documentation of entire project. 3 Years service support | 1     | Job  |  |  |  |
| Sub Total of Part A |                              |  |       |      |  |  |  |

Rupees in words \_\_\_\_\_

- #1. GST to be mentioned specifically
- #2. Other charges, if any, (delivery, installation, etc.) should mentioned clearly
- #3. Bidder should quote for all the items as mentioned above; otherwise, the bid will liable to be canceled.
- #4. Quantity may vary and payment will be made on actual

Signature of Authorized person of the Firm/Agency with stamp/ seal

NIT No.: e-08/2018(Pur-Kol)

Part B-BOQ FOR GIRLS' HOSTEL FOR RENOVATION AND UP-GRADATION OF NETWORK  
INFRASTRUCTURE AT NIFT, KOLKATA

| Particulars                  |                            |                    |  |                       |      | Unit Rate<br>(In Rs.) | GST<br>(in Rs.) | Total Amount<br>(including<br>GST)(Rs.) |
|------------------------------|----------------------------|--------------------|--|-----------------------|------|-----------------------|-----------------|---|
| <b>A) Active Components:</b> |                            |                    |  |                       |      |                       |                 |   |
| SL                           | Item Type                  | Make<br>&<br>Model | Description  | Qty./As per<br>Actual | UoM  |                       |                 |   |
| 1                            | 24 Access Switch<br>- PoE  |                    | 24 Port 10/100/1000Mbps L2<br>Managed POE Switch with 2<br>x (10G)SFP+ slots + 3 Years<br>Warranty Support | 1                     | Nos. |                       |                 |   |
| 2                            | 12 Access Switch<br>- PoE  |                    | 12 Port 10/100/1000Mbps L2<br>Managed POE Switch with 2<br>x (10G)SFP+ slots + 3 Years<br>Warranty Support | 3                     | Nos. |                       |                 |   |
| 3                            | Wireless Lan<br>Controller |                    | Wireless LAN<br>Controller(WLC) with<br>minimum 150+ AP support +<br>3 Years warranty                      | 1                     | No.  |                       |                 |   |
| 4                            | AP License                 |                    | Single AP adder License for<br>WLC   | 34                    | Nos. |                       |                 |   |
| 5                            | Indoor Access<br>Point     |                    | Dual-band 802.11ac Indoor<br>Wireless Access Point with<br>Mounting Bracket + 3 Years<br>warranty          | 33                    | Nos. |                       |                 |   |
| 6                            | Outdoor Access<br>Point    |                    | Dual-band 802.11ac Outdoor<br>Wireless Access Point with<br>Mounting Bracket + 3 Years<br>warranty         | 1                     | Nos. |                       |                 |   |

**Passive Components:**

| SL | Item Type      | Make<br>&<br>Model | Description   | Qty | UoM   |  |  |  |
|----|----------------|--------------------|---|-----|-------|--|--|--|
| 1  | UTP Cable      |                    | CAT6 23AWG 4-Pair UTP<br>Cable  | 2   | Boxes |  |  |  |
| 2  | UTP Patch Cord |                    | 1 Mtr. CAT6 UTP Patch Cord  | 40  | Nos.  |  |  |  |
| 3  | RJ45 Connector |                    | RJ-45 Connectors for Cat6<br>Cable crimping.  | 1   | Box   |  |  |  |
| 4  | PVC Conduit    |                    | PVC Casing/Caping or PVC<br>Pipe for laying of UTP Cable<br>as per site requiremet. | 200 | Mtr.  |  |  |  |

**Service Components:**

| SL | Item Type                       | Description  | Qty | UoM  |  |  |  |
|----|---------------------------------|--|-----|------|--|--|--|
| 1  | UTP cable Laying                | Laying of UTP Cable through the PVC<br>conduit   | 610 | Mtr. |  |  |  |
| 2  | Rack Fixing &<br>Dressing       | Fixing and dressing of Rack  | 4   | Nos. |  |  |  |
| 3  | RJ45 Crimping                   | RJ 45 connector crimping   | 66  | Nos. |  |  |  |
| 4  | Installing and<br>Configuration | Installation and Configuration of Active<br>devices, Testing and Documentation of<br>entire project. 3 Years service support | 1   | Job  |  |  |  |

Signature of Authorized person of the  
Firm/Agency with stamp/ seal





राष्ट्रीय फैशन टेक्नालॉजी संस्थान, कोलकाता केन्द्र



NIT No.: e-08/2018(Pur-Kol)

|  |                     |  |  |  |
|--|---------------------|--|--|--|
|  | Sub Total of Part B |  |  |  |
|--|---------------------|--|--|--|

|   |                 |
|---|-----------------|
| Grand Total = Sub Total of Part A + Sub Total of Part B | (Amount in Rs.) |
| (Rupees.....Only)                                       |                 |

- #1. GST to be mentioned specifically  
 #2. Other charges, if any, (delivery, installation, etc.) should mentioned clearly  
 #3. Bidder should quote for all the items as mentioned above; otherwise, the bid will liable to be canceled.  
 #4. Quantity may vary and payment will be made on actual

Date: \_\_\_\_\_  
 Place: \_\_\_\_\_

Signature of the tenderer with date & seal

Signature of Authorized person of the  
 Firm/Agency with stamp/ seal