

राष्ट्रीय फेशन टैक्नालॉजी संस्थान (वस्त्र मंत्रालय, भारत सरकार) National Institute Of Fashion Technology

File 4103(1)/Hostel/Extra Work/2019

दिनांक 29/06/2022

<u> भाव पत्रक / Rate Enquiry Letter</u>

राष्ट्रीय फैशन प्रौद्योगिकी संस्थान (निफ्ट) मुंबई द्वारा निम्नलिखित कार्य के लिए मोहरबंद निविदाएँ आमंत्रित करता हैं| निफ्ट, बिना कोई कारण बताए निम्नतम या सभी निविदाओं को स्वीकार या अस्वीकार करने का अधिकार सुरक्षित रखता है।

Sealed Quotations are hereby invited by NIFT Centre, Mumbai for the following work. The undersigned reserves the right to accept or reject the lowest or all the quotations without assigning any reasons.

कार्य का नाम: निफ्ट, मुंबई में शैक्षणिक भवन -।। और अन्य भवनों में मरम्मत कार्य करवाने हेतू।

क्रम संख्या	कार्य का विवरण	मात्रा	दर (रुपये)	राशि (रुपये)
1.	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead and making good to the surface: For thickness of tiles 10 mm to 25 mm	70	2	
2.	Providing and applying fibre reinforced elastomeric liquid water proofing membrane with resilient acrylic polymers having Sun Reflectivity Index (SRI) of 105 on top of concrete roof in three coats @10.76 litre/ 10 sqm. One coat of self-priming of elastomeric waterproofing liquid (dilution with water in the ratio of 3:1) and two coats of undiluted elastomeric waterproofing liquid (dry film thickness of complete application/system not less than 500 microns). The operation shall be carried out after scrapping and properly cleaning the surface to remove loose particles with wire brushes, complete	70 Sqm		
al and s	signature of the Agency Date:		Join	nt Director
				Page 1 of

Name of work: Repairing work at Academic Building-II & other buildings at NIFT, Mumbai

A Premier Institute Of Design, Management & Technology A statutory body under the NIFT Act 2006

6 1928

NIFT Campus, Plot No.15, Sector - 4, Kharghar, Navi Mumbai - 410 210. t.+91 022 27747000, +91 022 27747100 | f+91 022 27745386| e directormumbai@nift.ac.in



Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over a coat of primer applied @0.75 ltr/10 sqm of approved brand including application of wooden putty after scrapping/removing the damaged paint wherever required. 50 4. Dismantling/removal of doors/ shutter, (steel or wood) complete & making good to the damaged portion with required materials. Removed shutter shall be stocked at place as instructed by Engineer In Charge. 10 5. Providing & fixing in required sizes & position of frame/chowkhat with m.s angle 50x50x6 (approx) including cutting, welding, hoisting, grinding and fixing of door/shutter made up of 1mm thick M.S. sheet over frame of 40x40x6 mm m.s angle and 3 mm M.S. gusset plates at the junctions and corners, 40x6 mm m.s. Strip shall be welded diagonally including all necessary fittings such as hinges, aldrops, tower bolts etc. and a priming coat of approved steel primer. 50 7. Finishing with Epoxy paint (two or more coats) on steel work at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. 50 8. Repairing of wooden door made up of two shutters by fixing of water proof plywood (approx. 20' x 13'') of 6-12 mm thk, with teak wooden patti at bottom partion after removal of existing damaged plywood. Teak wood patti to be fixed to the sides of shutters to fill the gap between shutters. The Job also includes: Set Fixing of ACP sheet (approx. 40'' x 26'') of golden shade over back side at bottom parion of shutters, Full painting over door with required shade. Door shall be fully repaired for				Stitute Of Fa
or wood) complete & making good to the damaged portion with required materials. Removed shutter shall be stocked at place as instructed by Engineer In Charge. 10 5. Providing & fixing in required sizes & position of frame/chowkhat with m.s angle 50x50x6 (approx.) including cutting, welding, hoisting, grinding and applying a priming coat of approved steel primer all complete. 300 6. Providing and fixing of door/shutter made up of 1mm thick M.S. sheet over frame of 40x40x6 mm m.s angle and 3 mm M.S. gusset plates at the junctions and corners, 40x6 mm ms. Strip shall be welded diagonally including all necessary fittings such as hinges, aldrops, tower bolts etc. and a priming coat of approved steel primer. 20 7. Finishing with Epoxy paint (two or more coats) on steel work at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. 60 8. Repairing of wooden door made up of two shutters by fixing of water proof plywood (approx. 20" x 13") of 6-12 mm thk. with teak wooden pati at bottom partion after removal of existing damaged plywood. Teak wood pati to be fixed to the sides of shutters to fill the gap between shutters. The Job also includes: Fixing of ACP sheet (approx. 40" x 26") of golden shade over back side at bottom parion of shutters, Full painting over door with required shade. Door shall be fully repaired for	3.	Surface Paint of required shade. Two or more coat applied @ 0.90 ltr/10 sqm over a coat of primer applied @0.75 ltr/10 sqm of approved brand including application of wooden putty after scrapping/removing the damaged paint		
of frame/chowkhat with m.s angle 50x50x6 (approx.) including cutting, welding, hoisting, grinding and applying a priming coat of approved steel primer all complete. 300 Kg 6. Providing and fixing of door/shutter made up of 1mm thick M.S. sheet over frame of 40x40x6 mm m.s angle and 3 mm M.S. gusset plates at the junctions and corners, 40x6 mm ms. Strip shall be welded diagonally including all necessary fittings such as hinges, aldrops, tower bolts etc. and a priming coat of approved steel primer. 20 7. Finishing with Epoxy paint (two or more coats) on steel work at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. 60 Sqm 8. Repairing of wooden door made up of two shutters by fixing of water proof plywood (approx. 20" x 13") of 6- 12 mm thk. with teak wooden patti at bottom partion after removal of existing damaged plywood. Teak wood patti to be fixed to the sides of shutters to fill the gap between shutters. The Job also includes: Fixing of ACP sheet (approx. 40" x 26") of golden shade over back side at bottom parion of shutters, Full painting over door with required shade. Door shall be fully repaired for	4.	or wood) complete & making good to the damaged portion with required materials. Removed shutter shall be stocked at place as	100000000000000000000000000000000000000	
of 1mm thick M.S. sheet over frame of 40x40x6 mm m.s angle and 3 mm M.S. gusset plates at the junctions and corners, 40x6 mm ms. Strip shall be welded diagonally including all necessary fittings such as hinges, aldrops, tower bolts etc. and a priming coat of approved steel primer.207.Finishing with Epoxy paint (two or more coats) on steel work at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete.608.Repairing of wooden door made up of two shutters by fixing of water proof plywood (approx. 20" x 13") of 6-12 mm thk. with teak wooden patti at bottom partion after removal of existing damaged plywood. Teak wood patti to be fixed to the sides of shutters to fill the gap between shutters. The Job also includes: Fixing of ACP sheet (approx. 40" x 26") of golden shade over back side at bottom parion of shutters, Full painting over door with required shade. Door shall be fully repaired for	5.	of frame/chowkhat with m.s angle 50x50x6 (approx.) including cutting, welding, hoisting, grinding and applying a priming coat of		
on steel work at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. 6 0 Sqm8.Repairing of wooden door made up of two shutters by fixing of water proof plywood (approx. 20" x 13") of 6- 12 mm thk. with teak wooden patti at bottom partion after removal of existing damaged plywood. Teak wood patti to be fixed to the sides of shutters to fill the gap between shutters. The Job also includes: Fixing of ACP sheet (approx. 40" x 26") of golden shade over back side at bottom parion of shutters, Full painting over door with required shade. Door shall be fully repaired for60 Sqm	6.	of 1mm thick M.S. sheet over frame of 40x40x6 mm m.s angle and 3 mm M.S. gusset plates at the junctions and corners, 40x6 mm ms. Strip shall be welded diagonally including all necessary fittings such as hinges, aldrops, tower bolts etc. and a priming coat of approved		
shutters by fixing of water proof plywood (approx. 20" x 13") of 6- 12 mm thk. with teak wooden patti at bottom partion after removal of existing damaged plywood. Teak wood patti to be fixed to the sides of shutters to fill the gap 4 between shutters. The Job also includes: Set Fixing of ACP sheet (approx. 40" x 26") of golden shade over back side at bottom parion of shutters, Full painting over door with required shade. Door shall be fully repaired for	7.	on steel work at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat,		
shooth functioning.	8.	shutters by fixing of water proof plywood (approx. 20" x 13") of 6- 12 mm thk. with teak wooden patti at bottom partion after removal of existing damaged plywood. Teak wood patti to be fixed to the sides of shutters to fill the gap between shutters. The Job also includes: Fixing of ACP sheet (approx. 40" x 26") of golden shade over back side at bottom parion of shutters, Full painting over door with		schr 10

Page **2** of **5**

कुल / Total	thute of Fr
जी एस टी / GST @%	
कुल योग / Net Total	
राशि शब्दों में:	
Amount in Words:	

नियम एवं शर्तें / Terms & Conditions:

- बोलीदाता को इस भाव पत्रक के साथ 7,500/- रुपये की ईएमडी राशि निफ्ट मुंबई के पक्ष में राष्ट्रीयकृत बैंक के डिमांड ड्राफ्ट के रूप में जमा करनी होगी। The bidder will have to deposit the EMD amount of Rs.7,500/- in the form of Demand Draft of Nationalized Bank in favor of NIFT Mumbai along with this quotation.
- मोहरबंद भाव पत्रक जमा करने की अंतिम तिथि 20 जुलाई 2022 को अपराह: 3 बजे तक है। Last date of receipt of sealed Quotation is 20/07/2022 upto 3.00 pm.
- 3) उद्धृत दरें कोटेशन की अंतिम तिथि से 120 दिनों के लिए मान्य होंगी। The quoted rates must be valid for 120 days from the last date of quotation.
- बोलीदाताओं द्वारा उद्धृत कुल राशि के आधार पर सफल एजेंसी का निर्णय लिया जाएगा। L1 agency will be decided based on the total amount quoted by bidders.
- 5) एजेंसी को कार्य करने के लिए निफ्ट अधिकारी द्वारा स्वीकृत सामग्री का उपयोग करना हैं। The work shall be executed with material as approved by NIFT official.
- 6) कार्य के मूल्य/ दर, उपयोग में आने वाले सामान, किराया, परिश्रम और उपयुक्त कर सहित उद्धृत करने चाहिए, जीएसटी के आलावा अलग से किसी भी राशि का भुगतान नहीं किया जाएगा| The quoted rates will be inclusive of cost of all material requires, transportation, labour and taxes as applicable, nothing shall be paid extra except GST.
- कोई अग्रिम भुगतान नहीं किया जाएगा। No advance payment will be made.
- 8) एजेंसी को कार्य, कार्य आदेश प्राप्ति से 90 दिनों तक पूरा करना होगा। कार्य पूरा करने में देरी के लिए 250/- प्रतिदिन की दर से जुर्माना लगाया जाएगा।

Seal and signature of the Agency

Date:

Joint Director

Page 3 of 5

The Agency has to complete the work within 90 days after receipt of work order panelty @ 250/- per day will be imposed for delay in completion of work.



- 9) एल1 एजेंसी की ईएमडी राशि कार्य सफलतापूर्वक पूर्ण होने के बाद वापिस की जाएगी और अने एजेंसियो की ईएमडी कोटेशन खुलने के एक महीने के अन्दर जारी कर दी जाएगी। EMD of L1 agency will be refunded after successfully completion of work and EMD of others agencies will be released within one month after opening of quotations.
- 10) एजेंसी को सुरक्षा नियमों को ध्यान में रखकर कार्य का निष्पादन करना चाहिए और वह अपने कामगारों की सुरक्षा के लिए स्वयं जिम्मेवार होगी| The agency should execute the work keeping safety rules in mind and will be responsible for the safety of its workers.
- 11) कार्य करने समाप्ति पर कार्य की मात्रा भिन्न हो सकती है इसलिए कार्य का भुगतान वास्तविक पैमाइश के आधार पर बिल और पैमाइश जमा करने पर किया जाएगा| Quantity of work may vary at the time of execution, hence payment shall be made on actual basis on submission of bill with measurement sheet.
- 12) मापदंड के अनुसार, एजेंसी द्वारा किया गए जीएसटी के भुगतान का प्रमाण प्राप्त होने के बाद ही निफ्ट द्वारा एजेंसी को भुगतान जारी किया जाएगा। The payment will be released by NIFT to the agency only after the submission of proof of payment of GST made by the agency as per the criteria is received.
- 13) कार्य में किसी भी प्रकार की त्रुटी होने पर निफ्ट के अनुसार एजेंसी को कार्य की मरम्मत करनी होगी| In lieu of any defect, the work shall be repaired by the agency if NIFT desires so.
- 14) किसी भी विवाद के मामले में न्यायालय का न्यायिक अधिकार क्षेत्र नवी मुंबई होगा। In case of any dispute the Jurisdiction of Court will be Navi Mumbai.
- प्रतिस्पर्धी मूल्य/दरों को कोट करने से पूर्व, कार्य और स्थल के भौतिक मूल्यांकन और पैमाइश के बारे में स्पष्टीकरण के लिए (यदि कोई हो तो), एजेंसी निफ्ट के अधिकारी से कार्यालय समय के दौरान संपर्क कर सकती है।

The Agency must visit the campus and Contact to NIFT's Official for clarifications about physical assessment of area/work to be furnished and about measurement etc. before quoting the competitive rates.

Seal and signature of the Agency

Date:

Joint Director

Page 4 of 5



• जीएसटी मापदंडो के अनुसार लागू होगा / GST will be applicable as per norms.

क्रम	पंजीकरण का विवरण	पंजीकरण संख्या
संख्या	Details of Registration	Registration No.
1.	जी एस टी / GST	
2.	पैन कार्ड / Pan Card	

र्*र्भ्रम्* संयुक्त निदेशक 29/06/

<u>एजेंसी का नाम और पताः</u> मैसर्स_____,

4.

_____, _____, दूरभाष न. _____.

Seal and signature of the Agency

Date:

Joint Director

Page 5 of 5