



राष्ट्रीय फैशन प्रौद्योगिकी संस्थान

सांविधिक संस्थान निफ्ट अधिनियम 2006

वस्त्र मंत्रालय, भारत सरकार

NATIONAL INSTITUTE OF FASHION TECHNOLOGY

A Statutory Institute under the NIFT Act 2006

Ministry of Textiles, Government of India

NIFT-MBI/Building/15/2023/

Date- 25/07/2025

भाव पत्रक / Rate Enquiry Letter

राष्ट्रीय फैशन प्रौद्योगिकी संस्थान (निफ्ट) मुंबई द्वारा निम्नलिखित कार्य के लिए मोहरबंद निविदाएँ आमंत्रित करता है। निफ्ट, बिना कोई कारण बताए निम्नतम या सभी निविदाओं को स्वीकार या अस्वीकार करने का अधिकार सुरक्षित रखता है।

Sealed Quotations are hereby invited by NIFT Centre, Mumbai for the following work. The undersigned reserves the right to accept or reject the lowest or all the quotations without assigning any reasons.

कार्य का नाम: निफ्ट परिसर प्लॉट संख्या-15 के विभागों एवं प्लॉट संख्या-20 कन्या-छात्रावास सेक्टर-04, खारघर, नवी मुंबई में बढ़ईगीरी के कार्य करवाने हेतु।

Name of Work: Carpentry work in departments of NIFT campus Plot No. 15 and Plot No. 20 Girls Hostel, Sector-04, Kharghar, Navi Mumbai.

क्रम संख्या	कार्य का विवरण	स्थान (कक्ष/विभाग)	मात्रक	मात्रा	दर	राशि (रुपये)
1.	Removing of existing damaged bush & providing & fixing of bush including with necessary screws etc.	A-1001,B-902,D-901,D-903,C-902,C-905,D-801,B-602,B-604,D-601,C-602,C-605(both),A-502,C-501,B-502,B-503,B-504,B-506(both),B-507,D-501,D-502,D-508,A-404(both),A-409,B-401,B-405,D-403,D-407,D-408,A-306,D-210,A-310,C-304,B-308,D-304,D-308,D-210,B-202,B-204,A-202,C-208,C-209,A-101(2 nos),B-102(2 nos),B-102(1 nos),B-103,R.C.Hall(4	Nos	55		

Seal and signature of the Agency

Date:

Director

डिज़ाइन, मैनेजमेंट और प्रौद्योगिकी का सर्वश्रेष्ठ संस्थान

A Premier Institute of Design, Management and Technology

(An ISO 9001: 2015 certified institute)

Page 1 of 19

निफ्ट कैम्पस, प्लॉट नं. 15, सेक्टर 4, खारघर, नवी मुंबई - 410210, महाराष्ट्र

NIFT Campus, Plot No.15, Sector 4, Kharghar, Navi Mumbai - 410210, Maharashtra


☎ + 91 022 27747000 | + 91 022 27747100 | + 91 022 27745386 | e: nift.mumbai@nift.ac.in

www.nift.ac.in

		Nos)				
2.	Repairing of existing doors for smooth functioning including grinding/screwing etc. complete as per requirement.	A-1002,C-1001,C-1004,C-1005,D-901,C-902,A-804,C-805,B-803,C-701,C-704,D-705,B-702,A-603,C-507,C-508,D-505,D-507,A-402,B-406,A-304,A-307,A-310,B-309,D-207,C-202,A-101,A-103,D-1000,D-1005,C-802,C-508,C-402,C-403,B-406,D-405,A-303,B-305,D-201,A-201, Many locations	Nos	50		
3.	Providing /Fixing of new locking arrangement of study table drawer & cabinet.	A-1002(X),B-1003(both),C-1004(X),B-1003(Y),D-1002(Y),D-1003(Y),B-901(Y),D-905(X),C-901(X),C-803(Y),D-801(Y),B-701(X,Y),B-704(Y),B-605(X),A-603(Y),C-602(Y),C-603(Y),A-504(X),C-504(Y),A-404(X),C-307(X),C-309(X),D-201(X,Y),A-201(X),B-1005(X),D-1003(Y),B-901(Y),A-903(X),B-804(X),C-705(Y),D-702(X),D-703(Y),B-704(Y),B-705(Y),B-602(Y),D-604(Y),A-605(Y),C-601(X),C-603(Y),C-504(Y),A-402(Y),C-406(Y),A-308(Y),A-207(X),C-205(Y),C-207(Y) Many Location (FC Department, FMS Department)	Nos	75		

Seal and signature of the Agency

Date:


Director

4.	Replacement of existing damaged/non-workable drawer/keyboard channel having a size of (14") & Providing & fixing of 14" with Replacement of drawer/keyboard channel including with necessary screws etc.	A-1003(Y),A-1004(X),C-1001(X),C-1002(Y),C-1005(Y),C-902(Y),A-802(X),A-805(X),C-802(Y),D-803(Y),D-804(X),B-803(X),A-703(X),B-701(X),C-604(X),A-502(X),A-508(Y),A-510(X),B-509(Y),D-509(Y),A-403(X),C-409(Y),B-401(Y),D-407(Y),A-310(Y),C-301(X),C-303(Y),B-305(Y),B-307(Y),B-309(Y),D-309(Y),D-203(Y),B-201(X,Y),B-208(Y),A-208(Y), FC Department (14 Nos)	Nos	50		
5.	Replacement of existing damaged/non workable dressing table drawer channel having a size of (12") & Providing & fixing of 12" with Replacement of dressing table drawer channel including with necessary screws etc.	B-1003(X),B-905(X),A-803(Y),B-508(X),A-403(X),A-407(Y),A-408(Y),C-410(X),B-403(Y),A-307(X),B-309(X),C-208(X)	Nos	22		
6.	Replacing of existing damaged L Patti & providing & fixing of SS L Patti including with necessary screws etc.	B-1004(up-X),D-1004(up-X),B-901(up-X),D-905(up-X),A-804(down-X),C-802(up-Y),C-804(down-Y),D-801(up-X),D-804(down-X),B-804(down-X),A-705(up-X),C-703(down-X),(up-Y),D-704(up-X),B-703(up & down Y),B-705(up-X,up & down -Y),A-505(up-Y),A-510(down-X),C-503(up-X),C-505(down-Y),C-508(up & down X,Y),B-501(down-Y),B-502(down-X),B-509(up-X),B-	Nos	60		

Seal and signature of the Agency


Date:

Director

		510(X),D-510(up-X,Y),A-407(Up-X,Y),A-410(up-Y),C-401(down-X),C-404(down-Y),(up-X),C-405(up-Y),D-403(up-X),D-404(up-X),D-405(down-X),A-302(Down-Y),A-307(Up-X),C-308(down-Y),C-309(down-Y),D-304(down-Y),D-305(Up-X,Y),D-310(Down-Y),D-210(Up-X),A-206(Up-Y),C-203(Up-X),C-206(Down-Y),C-210(Y), Many Location				
7.	Removing of existing damaged curtain rod & Providing and fixing SS curtain rods of wall thickness 1.25 mm with two SS brackets fixed with brass screws and wooden plugs etc. wherever necessary complete.	B-905, C-805, D-508, B-102(2 Nos),	Ft	80		
8.	Providing, making, fixing of door stopper of teak wood.	D-1005, C-802, C-508, C-402, C-403, B-406, D-405, A-303, B-305, D-201, A-201, Many location	Nos	20		
9.	Providing and fixing of S.S. butt hinges with necessary screws fitting etc.	B-603, D-407	Nos	2		
10.	Providing and fixing of handle of Table drawer 4" with necessary screws fitting etc.	A-805(Y), D-509(Y), Many Location (FMS Department)	Nos	7		

Seal and signature of the Agency

Date:


Director

11.	Removing of existing damaged dressing table bush & providing & fixing of bush including with necessary screws etc.	C-408, A-210	Nos	2		
12.	Providing and fixing of Universal Cupboard Lock including required necessary fittings etc	Guest house room no.2 and no.4	Nos	2		
13.	Fixing of existing Bathroom Door Latch including required necessary fittings etc	C-1000(1st no.toilet,3rd no.toilet),D-1000(1st no.bathroom),(Washroom main door),D-900(3rd no.toilet),B-900(3rd no.toilet),A-800(Washroom main door),(1st no.bathroom),D-800(3rd no.toilet),(Washroom main door),B-700(1st no.toilet),(2nd no.bathroom),C-700(2nd no.bathroom),A-700(2nd no.toilet),A-600(1st no.toilet),(2nd no.bathroom),C-600(2nd no.toilet),B-600(1st no.toilet,bathroom),D-600(1st no.toilet),D-600(Washroom main door),D-500(2nd no.toilet,washroom main door),B-500(2nd,3rd no.toilet),C-500(2nd,3rd,4th no.bathroom),(2nd no.toilet),C-500(Washroom main door),B-400(Washroom main door),B-300(Washroom main door),B-300(1st no.,3rd	Nos	105		

Seal and signature of the Agency

Date:

Director

		no.bathroom),(4th no.5th no.toilet),D-300(2nd,3rd no.bathroom),(4th no.toilet),A-300(2nd,3rd no.toilet),(1st no.bathroom door),C-300(1st no.bathroom),C-300(1st,2nd,4th no.toilet),C-200(Duct door),(all bathroom ,toilet door),A-200(Washroom main door),(all bathroom ,toilet door),D-200(all bathroom ,toilet door),A-100(Washroom main door),(all bathroom ,toilet door),C-100(all toilet door),B-100(Washroom main door),B-100(all bathroom ,toilet door)				
14.	Fixing of existing Bathroom Door handle including required necessary fittings etc	B-1000(1st no.bathroom),(duct door),B-800(Washroom main door),B-500(4th no.toilet),A-400(1st no.toilet),C-400(2nd,5th no.toilet),D-400(1st no.toilet,2nd no.bathroom),B-400(Duct door),(3rd no.toilet),A-200(2nd no.toilet)	Nos	11		
15.	Providing and fixing of of coin lock over a door including required necessary fittings etc.	A-1000(1st no.toilet),D-900(1st no.toilet , Many Location	Nos	25		

Seal and signature of the Agency


Date:


Director

16.	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineering-charge. With stainless steel cover plate minimum 1.25 mm thickness.	Girls Hostel & Plot-15 (FC Department) & many location	Nos	6		
17.	Providing and fixing aluminum die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete	A-800(Washroom main door), B-400(4th no.toilet) , Many Location	Nos	8		

Seal and signature of the Agency

Date:


Director
Page 7 of 19

18.	Providing and fixing of Stainless-Steel Cabinet Drawer Lock including required necessary fittings etc.	A-1002,B-1003,B-1001,B-1004,D-1002,D-1003(2nos),D-1004,A-901,A-904,B-901(2nos),B-902,C-905,D-903,A-802,C-805,D-803,D-801,A-701,A-703,A-705,D-701,D-703,D-704(2nos),B-701,B-704(2nos),B-705(2nos),C-702,A-602,A-605(2nos),B-601,B-602,C-604(2nos),D-604,A-506,A-507,A-508,A-509(2nos),B-501,B-502,B-503,B-505(2nos),B-506,B-507(3nos),B-509,B-510(4 nos),C-503(2 nos),C-504(3 nos),C-505,C-506,C-507(2 nos),C-508,C-510(2 nos),D-501(3nos),D-502(2nos),D-505,D-506,D-510,A-401(2 nos),A-402,A-403(2 nos),A-404(2 nos),A-406(2nos),A-408,A-410,B-401,B-403(2 nos),C-405,C-407(2 nos),D-402(2 nos),D-405,D-407(2 nos),D-409,A-303,A-304,A-305,A-307,A-308,A-309(2 nos),A-310(2 nos),C-307,C-309,A-206,A-207(2 nos),A-208,A-210(2 nos),B-204,B-207,B-209,C-201(2 nos),C-202,C-204,C-205,C-207,C-210,D-201,D-202,D-203(2 nos),D-206,D-208(3 nos),D-209(2 nos),D-210, Many Location	Nos	80		
-----	--	---	-----	----	--	--

Seal and signature of the Agency

Date:



Director

19.	Providing and fixing of Aluminium Alloy Left and Right-Hand Side Locking Handle for Casement Windows including required necessary fittings etc.	B-10th floor passage,A-10th floor staircase area window,A-9th floor washroom area window,D-8th staircase area window,C- 8th floor passage,A- 5th window lift side area,C-5th floor staircase area,B - 5th washroom area,D- 4th floor passage,D -4th floor washroom area,B- 4th staircase area window,B - 4th floor washroom area,B -4th floor passage,B -3rd floor passage,B-3rd floor staircase area window,C-2nd floor passage,D- 1st window lift side area,D-2nd floor staircase area window,C-Ground floor washroom area,B-Ground floor laundry area, many location	Nos	30		
20.	Providing and fixing of Heavy Wall to Wall Bracket with required support for Stainless Steel Curtain Rod including required necessary fittings etc.	A-507,A-508(C-507,B-507,B-508,D-507,D-508,R.C.Hall(-8 set),(D-101-2 set)	Nos	30		
21.	Fixing/Gluing of existing PVC strip on existing study table border strip including required necessary fittings etc.	A-802,C-803,D-703,B-701,B-603,D-508,B-407,D-408,D-409,B-303,B-305,D-307,D-201,D-208,B-101	Nos	15		
22.	Providing and fixing of 170 Degree Hinges Frameless Cabinet Door Hinges Hidden Hydraulic Adjustable	B-602(Y),D-602(X),A-503(Y),D-502(Y),A-404(Y),A-405(Y),C-408(X),B-402(X),B-403(X,Y),B-	Nos	14		

Seal and signature of the Agency

Date:

Director

	Mounting Hinges Soft Closing Stainless Steel Buffer including required necessary fittings etc.	405(X),A-307(Y),C-310(X),B-304(Y)				
23.	Carefully cutting of existing POP sheet with specified size & providing & fixing POP with aluminum channel for maintenance purpose.	Girls Hostel	Nos	18		
24.	Providing 10 mm thick plaster of Paris (gypsum anhydrous) ceiling up to a height of 5 m above floor level on flat surface including one coat priming & two coat painting.	Girls Hostel & Canteen Plot-15	Sq.Mt.	12		
25.	Providing and fixing of Stainless-Steel Glass to Glass Door Lock of One Side Key and One Side Knob with all required necessary fittings etc.	M.Des. FMS Department	Nos	3		
26.	Providing and fixing aluminum hanging floor door stopper, ISI marked, anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.	Many Location (FC department, S-Dec, FD)	Nos	18		

Seal and signature of the Agency

Date:


Director

27.	Providing /Fixing of bush of existing chair with necessary screws etc. complete.	Many Location (FC department, FD Department Department,	Nos	120		
28.	Repairing /Fabricating of existing chair with extra MS pipe/angle/channel or a required fitting complete.	Many Location & (FP Department-07, FD Department-07)	Nos	20		
29.	Carefully Removing of existing breakable glass without damaging of window & providing and fixing new acrylic glass of 4 mm over a window of good quality with all required fittings.	Canteen	Sq.Ft.	30		
30.	Providing and fixing 1 Pre-laminated flat pressed 3 layer (medium density) 18 mm ply board IS : 3087 marked, with one side decorative and other side balancing lamination Grade I, Type II exterior grade IS : 2823 marked, in shelves with screws and fittings wherever required.	FD Department, FMS Department, RC	Sq.Mt.	12		
31.	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top &	FMS Department Room No. 435	Sq.Mt.	1.92		

Seal and signature of the Agency

Date:


Director



	bottom pivot & double acting hydraulic floor spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, glass film all complete as per direction of Engineer-in-charge including Door handle, lock and stopper etc					
32.	Fixing of existing soft board/white board by drilling/screwing with required as per direction of department assistant.	Many Location	Nos	30		
33.	Dismantling of existing G.I. damaged beading & Providing and fixing 2nd class teak wood lipping/ moulded beading of size 18X5 mm fixed with wooden adhesive of approved quality and screws/nails on the edges of the existing table as per direction of Engineer-in-charge.	FD Department Room No. 110	Meter	27		
34.	Fixing of existing wooden frame with the help of extra heavy-duty S.S. butt hinges with necessary screws fitting etc.	RC Department	Nos	2		

Seal and signature of the Agency


Date:


Director

35.	Assembly of existing table with the help of additional screw/bolt/nails/glue/fevicol or a grinding of ply board or additional ply board labour, transport, wherever is required.	FMS Department	Job	1		
36.	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid plain flush door shutter of required size & having a 30 mm thick comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm ² , modulus of elasticity 850 N/mm ² and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with	Boys Hostel & FP Lab	Sq.Mt.	4		

Seal and signature of the Agency

Date:


Director

	stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge.					
37.	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid door/window/Clerestory windows & other Frames/ Chowkhat comprising of virgin PVC polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/ wheat husk) and nontoxic additives (maximum toxicity index of 12 for 100 gms) fabricated with miter joints after applying PVC solvent cement and screwed with full body threaded star headed SS screws having minimum frame density of 750 kg/cum, screw withdrawal strength of 2200 N (Face) & 1100 N (Edge), minimum compressive strength of 58 N/mm ² , modulus of elasticity 900 N/mm ² and resistance to spread of	FP Work Shop	Meter	6		

Seal and signature of the Agency


Date:

Director

	flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixed in position with M.S hold fast/lugs/SS dash fasteners of required dia and length complete as per direction of Engineer-In- Charge. Note: WPC solid door/window frames, minus 5 mm tolerance in dimensions i.e depth and width of profile shall be acceptable. Variation in profile dimensions on plus side shall be acceptable but no extra payment on this account shall be made. Size of Frame: - 65 x 125 mm					
38.	Removing the existing damaged door shutters, properly, without damaging existing door frame and providing and fixing new door shutters with made of 4 mm thick hardener sheet with as per existing or as per approved pattern / design with four side aluminum frame and intermediate aluminium frame of section size 2 inch x 1 inch and	Canteen	Nos	1		

Seal and signature of the Agency


Date:


Director

	required standard door fittings, i.e. handles, tower bolts, sliding bolts, hinges, if any required to complete the work and making good to damaged frames, including cost of all materials and laboure charges etc., complete as per direction of Engineer in charge. The approximate size of each door shutter: 2'7" x 7'					
39.	carefully removing of existing damaged decorative laminated sheet without affecting the existing plyboard & Providing & Fixing decorative high pressure laminated sheet having a thickness of 1 mm on plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality.	FP Lab, B-306(Y),A-101,A-102	Sq.Mt.	28.5		
40.	Renewing glass panes of float glass panes of nominal thickness 5 mm (weight not	Many Location	Sq.Mt.	3		

Seal and signature of the Agency

Date:


Director


	less than 12.5kg/sqm)					
	Total					
	GST @18%					
	Net Total					

नियम एवं शर्तें / Terms & Conditions:

- 1) मोहरबंद भाव पत्रक जमा करने की अंतिम तिथि **30 जुलाई 2025** को अपराह: 3 बजे तक है
Last date of receipt of sealed Quotation is **30/07/2025** upto 3.00 pm.
- 2) बोलीदाताओं द्वारा उद्धृत कुल राशि के आधार पर सफल एजेंसी का निर्णय लिया जाएगा।
L1 agency will be decided based on the total amount quoted by bidders.
- 3) एजेंसी को कार्य करने में कार्य मानक ब्रांड की सामग्री का उपयोग करना होगा या निफ्ट अधिकारी द्वारा स्वीकृत सामग्री का उपयोग करना है।
The work shall be executed with standard brand material or as approved by NIFT official.
- 4) कार्य के मूल्य/ दर, उपयोग में आने वाले सामान, किराया, परिश्रम और उपयुक्त कर सहित उद्धृत करने चाहिए, जीएसटी के आलावा अलग से किसी भी राशि का भुगतान नहीं किया जाएगा।
The quoted rates will be inclusive of cost of all material requires, transportation, labour and taxes as applicable, nothing shall be paid extra except GST.
- 5) कोई अग्रिम भुगतान नहीं किया जाएगा।
No advance payment will be made.
- 6) एजेंसी को कार्य, कार्य आदेश प्राप्त से 90 दिनों तक पूरा करना होगा।
The Agency has to complete the work within 90 days after receipt of work order.
- 7) कार्य की गुणवत्ता सही होनी चाहिए, कार्य की घटिया गुणवत्ता/कार्यकुशलता के लिए कार्य की कुल कीमत का 3% की दर से जुर्माना लगाया जाएगा।

Seal and signature of the Agency

Date:


Director

Quality of work should be upto the mark. Penalty @ 3% of work done amount will be imposed for substandard quality of work/workmanship.

- 8) एजेंसी द्वारा उद्धृत दरें कोटेशन की अंतिम तिथि से 90 दिनों के लिए वैध होंगी।
Rates quoted by the agency shall be valid for 90 days from last date of quotation
- 9) कार्य करने समाप्ति पर कार्य की मात्रा भिन्न हो सकती है इसलिए कार्य का भुगतान वास्तविक आधार पर बिल और पैमाइश जमा करने पर किया जाएगा।
Quantity of work may vary at the time of execution; hence payment shall be made on actual basis on submission of bill with measurement sheet.
- 10) मापदंड के अनुसार एजेंसी द्वारा किया गए जीएसटी के भुगतान का प्रमाण प्राप्त होने के बाद ही निफ्ट द्वारा एजेंसी को भुगतान जारी किया जाएगा।
The payment will be released by NIFT to the agency only after the submission of proof of payment of GST made by the agency as per the criteria is received.
- 11) कार्य में किसी भी प्रकार की त्रुटी होने पर निफ्ट के अनुसार एजेंसी को कार्य की मरम्मत करनी होगी।
In lieu of any defect, the work shall be repaired by the agency if NIFT desires so.
- 12) किसी भी विवाद के मामले में न्यायालय का न्यायिक अधिकार क्षेत्र नवी मुंबई होगा।
In case of any dispute the Jurisdiction of Court will be Navi Mumbai.
- 13) कोटेशन प्रस्तुत करने वाली एजेंसी को जीएसटी पोर्टल पर पंजीकृत होना चाहिए। जीएसटी के तहत पंजीकृत नहीं होने वाली एजेंसियों द्वारा प्रस्तुत कोटेशन को अस्वीकार कर दिया जाएगा।
The agency submitting the quote must be registered on the GST portal. Quotes submitted by agencies not registered under GST will be rejected

Seal and signature of the Agency

Date:


Director

- 14) प्रतिस्पर्धी मूल्य/दरों को कोट करने से पूर्व, कार्य और स्थल के भौतिक मूल्यांकन और पैमाइश के बारे में स्पष्टीकरण के लिए (यदि कोई हो तो), एजेंसी निफ्ट के अधिकारी से कार्यालय समय के दौरान संपर्क कर सकती है।

The Agency must visit the campus and Contact to NIFT's Official for clarifications about physical assessment of area/work to be furnished and about measurement etc. before quoting the competitive rates.

- जीएसटी मापदंडों के अनुसार लागू होगा / GST will be applicable as per norms.

क्रम संख्या	पंजीकरण का विवरण Details of Registration	पंजीकरण संख्या Registration No.
1.	जी एस टी / GST	
2.	पैन कार्ड / Pan Card	


निदेशक
निफ्ट मुंबई

एजेंसी का नाम और पता:

मैसर्स _____,

_____.

दूरभाष न. _____.

Seal and signature of the Agency

Date:

Director