

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	03-09-2025 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	03-09-2025 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	90 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Textiles
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	National Institute Of Fashion Technology (nift) Head Office New Delhi
कार्यालय का नाम/Office Name	Nift Campus Near Gulmohar Park Hauzkhas, New Delhi 110016
कुल मात्रा/Total Quantity	9190

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

6 Amp modular switch , 16 Amp modular switch , 6 Amp modular socket , 16 Amp modular socket , 16 Amp modular socket , Modular regulator switch type , Modular regulator Socket type , Modular regulator switch type , 3.5 mfd Capacitor , Ceiling fan knob switch type , Ceiling fan knob socket type , Cooler Capacitor 4 mfd , LED TUBE LIGHT 20 WATT 4 FEET , Ceiling LED light 2x2 36 watt , Surface LED light 2x2 36 Watt , MCB 32 Amp TP , MCB 32 Amp DP , MCCB 4 POL 100 Amp , LT Mild steel UTPN MCCB 12 WAY , MCB 20 Amp single pole , MCB BOX 12 WAY , Copper wire 1.5 sq mm 90 m- red , Copper wire 1.5 sq mm 90 m- YELLOW , Copper wire 1.5 sq mm 90 m- BLACK , Copper wire 2.5 sq mm 90M- RED , Copper wire 2.5 sq mm 90M- BLACK , Copper wire 2.5 sq mm 90M- yellow , copper wire 4 sq mm 90 M- BLACK , copper wire 4 sq mm 90 M- RED , copper wire 4 sq mm 90 M- BLUE , Copper Wire 1 sq mm 90 m red , Copper Wire 1 sq mm 90 m YELLOW , Copper Wire 1 sq mm 90 m black , Copper Wire 1 sq mm 90 m Green , 3 Phase energy digital meter , Ceiling led light 2x2 36 watt driver , LED LIGHT 12 WATT driver , PVC Band 32 mm , PVC tee 32 mm , PVC U-Clip 32 mm , PVC guji 6 MM , Black screw 1.5 inch , Electrical Insulation Tape , Black screw 1 inch , 6 mm pvc clip , Black Screw , Black Screw 2 inch , Black Screw 2.5 inch , black screw 3 inch , Three pin Top 6 AMP , Three pin Top 16 AMP , modular pvc gang box 12 modal , Modular pvc gang box 8 modal , modular pvc gang Box 6 modal , modular pvc gang box 3 modal , Modular plate pvc 12 modal , MODULAR plate pvc 8 modal , modular plate pvc 6 modal , Modular plate pvc 3 modal , MCB C Type sp 10 Amp , MCB C Type sp 32 Amp , MCB TPN 32 Amp , MCB TPN 63 Amp , PVC Casing , Street Light chock 75 Watts , Modular MCB switch type 16 Amp , Cable 3 Core 1.5 sq mm black , Cable 3 Core 2.5 sqmm black , Anchor Fasner 8mm , 3 phase Starter , 1 Phase Starter , Starter Relay , Starter relay , PVC Pipe , PVC Band , PVC Flexible Pipe , PVC Clips 4mm , PVC Clips 8mm , PVC clips 12mm , PVC clips 20 mm , Pvc clip 25 mm , GI Wadding Wire 1.5 mm , GI Wadding Wire 2 mm , MCCB 3 pole 160 Amp , MCCB 3 pole 250 Amp , Ceiling Fan Connection Connector , Ceiling fan Baring 6201 , Ceiling Fan Baring 6202 , wooden screw , wooden Screw , plain ss Washer 4 mm , Plain ss Washer 6 mm , plain ss Washer 8 mm , Plain ss Washer 10 mm , Plain ss Washer 12 mm , , Bombay Nail , Nails , PVC Round Plate , PVC Fan Plate , Street Light 3 Phase Connector , Aluminium 10 SQMM Cable Lug , Aluminium 6 SQMM Cable Lug , Aluminium 4 SQMM Cable Lug , 10 SQMM Cable GI Saddle Patti Clip , Street Light Single phase Timer Digital , MCB GI Box 4 Ways , MCB GI Box 8 Ways , MCB GI Box 16 Ways Double door , MCB GI Box 2 Ways , Flexible wire , Casing Nails , Electrical safety shoe 8 no , Electrical hand gloves , MILD STEEL VTPN INCOMMER MCCB DISTRIBUTION BOX SP OR 3 PHASE , MILD STEEL VTPN INCOMMER MCCB DISTRIBUTION BOX SINGLE OR 3 PHASE , PENCIL CELL FOR AC REMOTS

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

6 Amp modular switch, 16 Amp modular switch , 6 Amp modular switch, 16 Amp modular switch , 6 Amp modular socket, 16 Amp modular socket , 6 Amp modular socket , 16 Amp modular socket , Modular regulator switch type , Modular regulator Socket type , Modular regulator switch type, 3.5 mfd Capacitor, Ceiling fan nob switch type, Ceiling fan nob socket type, Cooler Capacitor 4 mfd, LED TUBE LIGHT 20 WATT 4 FEET, Ceiling LED light 2x2 36 watt, Surface LED light 2x2 36 Watt, MCB 32 Amp TP, MCB 32 Amp DP , MCCB 4 POL 100 Amp, LT Mild steel UTPN MCCB 12 WAY , MCCB 20 Amp single pole, MCCB BOX 12 WAY , Copper wire 1.5 sq mm 90 m- red, Copper wire 1.5 sq mm 90 m- YELLOW, Copper wire 1.5 sq mm 90 m- BLACK, Copper wire 2.5 sq mm 90M- RED, Copper wire 2.5 sq mm 90M- BLACK, Copper wire 2.5 sq mm 90M- yellow, copper wire 4 sq mm 90 M- BLACK, copper wire 4 sq mm 90 M- RED, copper wire 4 sq mm 90 M- BLUE, Copper Wire 1 sq mm 90 m red, Copper Wire 1 sq mm 90 m YELLOW, Copper Wire 1 sq mm 90 m black, Copper Wire 1 sq mm 90 m Green, 3 Phase energy digital meter , Ceiling led light 2x2 36 watt driver, LED LIGHT 12 WATT driver, PVC Band 32 mm , PVC tee 32 mm , PVC U- Clip 32 mm, PVC gully 6 MM , Black screw 1.5 inch , Electrical Insulation Tape , Black screw 1 inch, 6 mm pvc clip , Black Screw 1/2 inch, Black Screw 2 inch, Black Screw 2.5 inch , black screw 3 inch , Three pin Top 6 AMP , Three pin Top 16 AMP , modular pvc gang box 12 modal, Modular pvc gang box 8 modal, modular pvc gang Box 6 modal, modular pvc gang box 3 modal, Modular plate pvc 12 modal, MODULAR plate pvc 8 modal, modular plate pvc 6 modal, Modular plate pvc 3 modal, MCB C Type sp 10 Amp , MCB C Type sp 32 Amp, MCB TPN 32 Amp, MCB TPN 63 Amp, PVC Casing/caping 1" , PVC Casing/caping 1/2", PVC Casing/Casing 1" Inner, PVC Casing/Casing 1" outer, PVC Casing/Casing 1" T, PVC Casing/Casing 1" elbow, Street Light chock 75 Watts, Modular MCB switch type 16 Amp, Cable 3 Core 1.5 sq mm black, Cable 3 Core 2.5 sqmm black, Anchor Fastener 8mm, 3 phase Starter 13-25 Amp, 1 Phase Starter 09-14 Amp, Starter Relay 13-25 Amp (L&T), Starter relay 09-15 Amp (L&T), PVC Pipe 1", PVC Pipe 1/2", PVC Band 1", PVC Band 1/2", PVC Flexible Pipe (white)1", PVC Flexible Pipe (white)1/2", PVC Clips 4mm, PVC Clips 8mm, PVC clips 12mm, PVC clips 20 mm, Pvc clip 25 mm, GI Wadding Wire 1.5 mm, GI Wadding Wire 2 mm, MCCB 3 pole 160 Amp, MCCB 3 pole 250 Amp, Ceiling Fan Connection Connector, Ceiling fan Baring 6201, Ceiling Fan Baring 6202, wooden screw 1/2", wooden screw 1", wooden Screw 2", wooden Screw 2.5", wooden screw 3", plain ss Washer 4 mm,, Plain ss Washer 6 mm,, plain ss Washer 8 mm,, Plain ss Washer 10 mm,, Plain ss Washer 12 mm,, Bombay Nill 1.5", Bombay Nill 2.5", Bombay Nill 4", Bombay Nill 5", Nills (Moti) 1.5", Nills (Moti) 2", PVC Round Plate, PVC Fan Plate, Street Light 3 Phase Connector, Aluminium 10 SQMM Cable Lug, Aluminium 6 SQMM Cable Lug, Aluminium 4 SQMM Cable Lug, 10 SQMM Cable GI Saddle Patti Clamp, Street Light Single phase Timer Digital, MCB GI Box 4 Ways, MCB GI Box 8 Ways, MCB GI Box 16 Ways Double door, MCB GI Box 2 Ways , Flexible wire 23/76 , Casing Nails, Electrical safety shoe 8 no, Electrical hand gloves, MILD STEEL UTPN INCOMMER MCCB DISTRIBUTION BOX SP OR 3 PHASE (8 WAYS), MILD STEEL UTPN INCOMMER MCCB DISTRIBUTION BOX SINGLE OR 3 PHASE (12 WAYS), MILD STEEL UTPN INCOMMER MCCB DISTRIBUTION BOX SINGLE OR 3 PHASE (12 WAYS), REMOTE CONTROL FOR LIGHTS

	(18 WAYS), PENCIL CELL FOR AC REMORTS
Bis विवरण/Bid Details	
	Searched String: 6 Amp madular switch Antimicrobial Susceptibility Testing Discs, modular electrical switches and accessories, Plug and Socket Distribution Board, Electrical Box Extension (V3), Flameproof Switch Socket, Switching Power Supply for Wireless Application, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Isolator switch Searched String: 16 Amp madular switch Plug and Socket Distribution Board, modular electrical switches and accessories, Layer 2 Access Switch (V2), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Electrical Box Extension (V3), KVM Switch, SAN Switch, Switching Power Supply for Wireless Application Searched String: 6 Amp madular switch Antimicrobial Susceptibility Testing Discs, modular electrical switches and accessories, Plug and Socket Distribution Board, Electrical Box Extension (V3), Flameproof Switch Socket, Switching Power Supply for Wireless Application, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Isolator switch Searched String: 16 Amp madular switch Plug and Socket Distribution Board, modular electrical switches and accessories, Layer 2 Access Switch (V2), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Electrical Box Extension (V3), KVM Switch, SAN Switch, Switching Power Supply for Wireless Application Searched String: 6 Amp madular socket Antimicrobial Susceptibility Testing Discs, Plug and Socket Distribution Board, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrical Box Extension (V3), modular electrical switches and accessories, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Flameproof Switch Socket, Deep Socket, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1 Searched String: 16 Amp maduiar socket Plug and Socket Distribution Board, modular electrical switches and accessories, Electrical Box Extension (V3), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1 Searched String: 6 Amp madular socket Antimicrobial Susceptibility Testing Discs, Plug and Socket Distribution Board, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrical Box Extension (V3), modular electrical switches and accessories, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Flameproof Switch Socket, Deep Socket, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1

बिड विवरण/Bid Details	Searched String: 16 Amp modular socket
	Plug and Socket Distribution Board, modular electrical switches and accessories, Electrical Box Extension (V3), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1 Searched String: Modular regulator switch type Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, modular electrical enclosure switch board boxes for modular type accessories, Modular Piano Type Domestic Electrical Switches as per IS 3854, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, modular electrical switches and accessories, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Piano Type Modular Domestic Fan Regulator as per IS 11037 Searched String: Modular regulator Socket type Piano Type Modular Domestic Electrical sockets - IS 1293, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Piano Type Modular Domestic Fan Regulator as per IS 11037 Searched String: Modular regulator switch type Piano Type Modular Domestic Fan Regulator as per IS 11037, modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Electric Pedestal Type Fan and Regulator as per IS 1169, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Modular Piano Type Domestic Electrical Switches as per IS 3854, modular electrical switches and accessories, Voltage regulator for domestic fans Searched String: 3.5 mfd Capaciter LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Electrical Box Extension (V2), Plug and Socket Distribution Board, true rms clamp meter, Cotton Bandage Cloth (V2), Multifunction Machine MFM (V2), X-ray Film Digitizer Searched String: Ceiling fan nob switch type Electric Ceiling Type Fan (V3) ISI Marked to IS 374, modular electrical enclosure switch board boxes for modular type accessories, Air Circulator Type Electric Fan as per IS 2997, Piano Type Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Non - Modular Piano Type Domestic

विड विवरण/Bid Details	Electrical Switches as per IS 3854, Electric Ceiling Type Fan (V2) as per IS 374, Electric Pedestal Type Fan and Regulator as per IS 1169, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293 Searched String: CeLLING fan nob socket type Electric Ceiling Type Fan (V3) ISI Marked to IS 374, Air Circulator Type Electric Fan as per IS 2997, Piano Type Modular Domestic Electrical sockets - IS 1293, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Stationary Cells and Batteries, Lead Acid Type (with Tubular Positive Plates) as per IS 1651, Electric Ceiling Fan with BLDC Motor (V3) ISI Marked to IS 374, Electric Ceiling Type Fan (V2) as per IS 374, Propeller Type AC Ventilating Fans - Exhaust Fans (V2) as per IS 2312 Searched String: Cooler Capaciter 4 mfd Multifunction Machine MFM (V2), Recirculating chiller, Switch Mode Power Supply (SMPS) as per IS 14886: Searched String: LED TUBE LIGHT 20 WATT 4 FEET LED Tube Light (Retrofit Type), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Batten, Solar Street Lighting System (NTPC), Hand Held Search Light, jacks hydraulic, Led Flood Light, Sofa Sets - Handcrafted, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, Self Ballasted LED Lamps for General Lighting Service as per IS 16102 Searched String: Celling LED light 2x2 36 watt LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), jacks hydraulic, Hand Held Search Light, Television (TV) (V2), Led Flood Light, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Service as per IS 16102, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), White - LED Based Solar Street Lighting System Searched String: Surface LED light 2x2 36 Watt LED Surface Ceiling Light as per IS 10322, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), jacks hydraulic, Hand Held Search Light, Television (TV) (V2), Led Flood Light, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Service as per IS 16102, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2) Searched String: Mcb 32 Amp TP MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), D and C Set, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, synthetic web equipment improved version, Circuit Breakers for DC Operation, Sofa Sets -
-----------------------	--

बिड विवरण/Bid Details	Handcrafted, Labelling Machine
	Searched String: Mcb 32 Amp DP MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), D and C Set, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, synthetic web equipment improved version, Circuit Breakers for DC Operation, Sofa Sets - Handcrafted, Labelling Machine Searched String: MCCB 4 POL 100 Amp 4-Aminoantipyrine, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Pera nitro Phenol, Antimicrobial Susceptibility Testing Discs, Plug and Socket Distribution Board, Sheet Barrack (Polyester Cotton) and Sheet Hospital (100% Cotton) (IAF), crepe bandage, Multicore Cable as per IS 694, Miniature Circuit Breakers Distribution Boards as per IS 13032, Modular Toilet Searched String: LT Mild steel UTPN MCCB 12 WAY Portable electrode oven, JAR TEST APPARATUS, laboratory hotplates, Compression Testing Machine, Single Wheel Hoe, PELTON WHEEL TURBINE TEST RIG, Laboratory Hot plate, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Shaker Incubator, Aggregate Impact Tester Searched String: MCB 20 Amp singal pol Antimicrobial Susceptibility Testing Discs, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Cloth Disruptive Polyester and Cotton (20:80) with Digital Print Uniform Cloth (V3) (CRPF), D and C Set, Audio Amplifier confirming to IS 616 (Under BIS Scheme - II) (V3), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Multilayer PE-AL-PEX Composite Pipes As Per IAPMO IGC-India 309-2014 And Associated Fittings, Shirts Man's Angola Drab Polywool Modified Pattern 2012, Circuit Breakers for DC Operation, Jacket (UP Police) Searched String: MCB BOX 12 WAY Miniature Circuit breaker distribution boards - IS 13032, Worm Gear Box, Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, modular electrical enclosure switch board boxes for modular type accessories, sutures, urethral urinary catheters or foley catheter, Resistance Box, Telephone Junction Box, Stapler Pin / Staples (V2) Searched String: Copper wire 1.5 sq mm 90 m- red PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554

बिड विवरण / Bid Details	(Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694
	Searched String: Copper wire 1.5 sq mm 90 m- YELLOW PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Double sided tape Searched String: Copper wire 1.5 sq mm 90 m- BLACK PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Copper wire 2.5 sq mm 90M- RED PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458 Searched String: Copper wire 2.5 sq mm 90M- BLACK PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS

बिड विवरण / Bid Details	1554 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458
	Searched String: Copper wire 2.5 sq mm 90M- yellow PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1) Searched String: copper wire 4 sq mm 90 M- BLACK PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: copper wire 4 sq mm 90 M- RED PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: copper wire 4 sq mm 90 M- BLUE PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, PVC Insulated

बिड विवरण/Bid Details	(Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694
	Searched String: Copper Wire 1 sq mm 90 m red PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1) Searched String: Copper Wire 1 sq mm 90 m YELLOW PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1) Searched String: Copper Wire 1 sq mm 90 m black PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1) Searched String: Copper Wire 1 sq mm 90 m Green PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, D and C Set, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Sets - Handcrafted, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Medium Density Fiber Boards (MDF Boards) for General Purpose, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable

बिड विवरण / Bid Details	(Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1)
	Searched String: 3 Phase energy digital meter Digital Grounding Device 3 Phase, true rms clamp meter, Prepaid energy meter, Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Phase Indicator, digital conductivity meter, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Digital Light Meter, Digital Earth Resistance Meter, Digital Moisture Meter (Textile) Searched String: Ceiling led light 2x2 36 watt driver LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), jacks hydraulic, Hand Held Search Light, Television (TV) (V2), Led Flood Light, Self Ballasted LED Lamps for General Lighting Services (V2) Conforming to IS 16102, LED Tube Light (Retrofit Type), Self Ballasted LED Lamps for General Lighting Service as per IS 16102, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), White - LED Based Solar Street Lighting System Searched String: LED LIGHT 12 WATT driver Light emitting diode driver, LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, LED Flash Light, White - LED Based Solar Street Lighting System, LED Bulkhead Light, LED Luminaire (for Flood Light) as per IS 10322, IS 16107, Led Flood Light, Inspection Lamp, LED Garden Light (V2), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) Searched String: PVC Band 32 mm PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, rubber bands, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Analog Transceiver - Handheld, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Band saw blade, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Waste Pipe, Connection Pipe with Nuts (V2) Searched String: PVC tee 32 mm Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Commercial CPVC Pipe Fittings, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Waste Pipe, Connection Pipe with Nuts (V2) Searched String: PVC U- Clip 32 mm

बिड विवरण / Bid Details	
	Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592, Pipe Clamps (V2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Toilet Seat Covers (V2), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Channel, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985 Searched String: PVC gujji 6 MM Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, patient care mattresses, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Set (Steel Tube), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), Waste Pipe Searched String: Black screw 1.5 inch Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), All in One PC, Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Whistle (V2), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Bio - Medical Waste Collection Bags (Biohazard Bags), Antimicrobial Susceptibility Testing Discs, Hand Operated Hydraulic Pipe Bender, Battery Cell as per IS 9128, IS 8144, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932 Searched String: Electrical Insulation Tape HT Tape, Electrical Box Extension (V2), Electrical Sleeves as per IS 11654, IS 5831, synthetic web equipment improved version, Glass Mica Tape-IS :7809, Environmental Chamber, Polyimide Tapes, Cellophane paper, Insulation Tester, Acoustical insulation Searched String: Black screw 1 inch Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Bio - Medical Waste Collection Bags (Biohazard Bags), Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, Whistle (V2), Plain Washer as per IS 2016, Sutures (V2), General Purpose Ball Valves (V2), CPVC Industrial Pipe Fittings, Schedule 80, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Screw Drivers as per IS 844 Searched String: 6 mm pvc clip Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, patient care mattresses, Squeegee Washer Wiper Mopper (V2), PVC Copper Cable Single Core and Multi

बिड विवरण / Bid Details	Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Set (Steel Tube), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1)
	Searched String: Black Screw 1/2 inch BCAA 2:1:1 Powder, Television (TV) (V2), Karabiners Screw Type MK - 2 (Defence), Whistle (V2), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Bio - Medical Waste Collection Bags (Biohazard Bags), TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Caution / Crime Scene Tape (V2), Isoprothiolane Searched String: Black Screw 2 inch Karabiners Screw Type MK - 2 (Defence), Television (TV) (V2), Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Whistle (V2), Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2), Bio - Medical Waste Collection Bags (Biohazard Bags), Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), General Purpose Ball Valves (V2), Scissor Lift (V2), Caution / Crime Scene Tape (V2) Searched String: Black Screw 2.5 inch 5-5 Dithiobis -2-2 Nitrobenzoic Acid, All in One PC, 5-Sulfosalicylic acid, Whistle (V2), Karabiners Screw Type MK - 2 (Defence), Television (TV) (V2), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Bio - Medical Waste Collection Bags (Biohazard Bags), Hexagonal Head Screws ISI marked to IS 1364 (Part 2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) Searched String: black screw 3 inch Interactive Panels with CPU, Whistle (V2), All in One PC, Plain Washer as per IS 2016, Bio - Medical Waste Collection Bags (Biohazard Bags), General Purpose Ball Valves (V2), Multifunction Machine MFM (V2), Screw Compressor, Bone Screw (V2), Taflon Tape as per IS 14635 Searched String: Three pin Top 6 AMP Multi-Pin electrical top for industrial appliacation, Electrical Box Extension (V2), Solar Power Plant (Roof Top) for ONGRID System, Three Phase, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Antimicrobial Susceptibility Testing Discs, Sofa Sets - Handcrafted, Wooden Podium, Sofa Set (Steel Tube), Plug and Socket Distribution Board, modular electrical switches and accessories Searched String: Three pin Top 16 AMP Multi-Pin electrical top for industrial appliacation, Wooden Podium, Solar Power Plant (Roof Top) for ONGRID System,

विड विवरण / Bid Details	Three Phase, Sofa Sets - Handcrafted, Solar Power Plant (Roof Top) for ONGRID System, Three Phase (V2), Electrical Box Extension (V2), Wrought Aluminium Utensils (V2) as per IS 1660, Sofa Set (Steel Tube), Plug and Socket Distribution Board, modular electrical switches and accessories
	Searched String: modular pvc gange box 12 modal Protective Sleeve Searched String: Maduiar pvc gang box 8 modal Protective Sleeve Searched String: modular pvc gang Box 6 modal Protective Sleeve, Flat Belt Conveyor (V2) as per IS 8597 Searched String: modular pvc gange box 3 modal Protective Sleeve, Flat Belt Conveyor (V2) as per IS 8597 Searched String: Madular plate pvc 12 modal Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, Stationary Lead Acid Batteries (with Tubular Positive Plates) in Monobloc Containers as per IS 13369, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, modular electrical enclosure switch board boxes for modular type accessories, Brass Glands for PVC cables of Voltage Grade up to and including 3.3 kV as per IS:12943, Laboratory Hot plate, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Tress Name Plate, Self Lubricating and Sliding Plates for Steam Turbine (ST120)-BHEL, shoes school pvc boys girls Searched String: MADULAR plate pvc 8 modal Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Sofa Set (Steel Tube), modular electrical enclosure switch board boxes for modular type accessories, Suction Catheters (V2), PVC (Polyvinyl Chloride) Sheet, PVC molded stool, Tress Name Plate, Locking Compression Plates (V2), Polyvinyl Chloride (PVC) Industrial Boots (V2) as per IS 12254, endotracheal tubes Searched String: madular plate pvc 6 modal CAT 6 Information outlet, Sofa Set (Steel Tube), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, modular electrical enclosure switch board boxes for modular type accessories, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, non metallic nameplates, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Laboratory Hot plate, shoes school pvc boys girls Searched String: Madular plate pvc 3 modal Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Multi Modal Intra -

बिड विवरण / Bid Details	Operative Nerve Monitoring and Consumables, non metallic nameplates, PVC Copper Cable Single Core and Multi Core
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, modular electrical enclosure switch board boxes for modular type accessories, Locking Compression Plates (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694
	Searched String: MCB C Type sp 10 Amp Antimicrobial Susceptibility Testing Discs, Lead Acid Batteries - Plante Type as per IS 1652:1991, D and C Set, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Control Cable, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), Battery Secondary Lead Acid MT Type (Defence), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1)
	Searched String: MCB C Type sp 32 Amp Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, D and C Set, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Drilling Machine Bench Type / Pillar Type as per IS 2425, Battery Secondary Lead Acid MT Type (Defence), synthetic web equipment improved version, Tapping screws, Sofa Sets - Handcrafted
	Searched String: MCB TPN 32 Amp MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Labelling Machine, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, D and C Set, Circuit Breakers for DC Operation, synthetic web equipment improved version, Sofa Sets - Handcrafted
	Searched String: MCB TPN 63 Amp MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Sofa Sets - Handcrafted, Labelling Machine, D and C Set, synthetic web equipment improved version Searched String: PVC Casing/caping 1" Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type: A PVC compound, Category: 01 as per IS:1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1), U-Tube Manometer, PVC Coated Nylon Fabric for Awning and Gun Covers, PVC Copper Cable 1 Core and Multi Core Circular

बिड विवरण / Bid Details	Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1)
	Searched String: PVC Casing/caping 1/2" BCAA 2:1:1 Powder, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, LT Spacer, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), U-Tube Manometer Searched String: PVC Casing/Casing 1" Inner Regular Casing Pipes (ONGC), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, HX Casing Head (CMPDI), NX Casing Head (CMPDI), PX Casing Head (CMPDI), U-Tube Manometer, TC Casing Bit / Casing Shoe Bit for Surface Mineral Exploration, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Large Outer Diameter Casing Pipes (Petroleum Industry), Premium Casing Pipe (Petroleum Industry) Searched String: PVC Casing/Casing 1" outer Large Outer Diameter Casing Pipes (Petroleum Industry), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Regular Casing Pipes (ONGC), HX Casing Head (CMPDI), NX Casing Head (CMPDI), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PX Casing Head (CMPDI), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, TC Casing Bit / Casing Shoe Bit for Surface Mineral Exploration, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694 Searched String: PVC Casing/Casing 1" T Regular Casing Pipes (ONGC), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, HX Casing Head (CMPDI), U-Tube Manometer, NX Casing Head (CMPDI), PX Casing Head (CMPDI), Premium Casing Pipe (Petroleum Industry), TC Casing Bit / Casing Shoe Bit for Surface Mineral Exploration, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Large Outer Diameter Casing Pipes (Petroleum Industry) Searched String: PVC Casing/Casing 1" elbow Regular Casing Pipes (ONGC), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, HX Casing Head (CMPDI), U-Tube Manometer, NX Casing Head (CMPDI), PX Casing Head (CMPDI), Premium Casing Pipe (Petroleum Industry), TC Casing Bit / Casing Shoe Bit for Surface Mineral Exploration, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Large Outer Diameter Casing Pipes (Petroleum Industry)

बिड विवरण/Bid Details	Searched String: Street Light chock 75 Watts
	Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, Inverter Based LED Street Light (V2), Handmade Saree, SOVP Device for Street light Pole Mounted, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Slamps (Algorithm based Street Light Automatic Switch), Hand Held Search Light, Solar Street Lighting System (NTPC), LED Tube Light (Retrofit Type) Searched String: Modular MCB switch type 16 Amp modular electrical enclosure switch board boxes for modular type accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Plug and Socket Distribution Board, Modular Piano Type Domestic Electrical Switches as per IS 3854, modular electrical switches and accessories, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, Piano Type Modular Domestic Fan Regulator as per IS 11037, Electrical Box Extension (V3) Searched String: Cable 3 Core 1.5 sq mm black Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Cable 3 Core 2.5 sqmm black Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V3) Confirming to IS 2932, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694

बिड विवरण/Bid Details	Searched String: Anchor Fasner 8mm
	Grapnel Anchor, Vertical Anchor for wire rope barrier, Miniature Circuit Breakers Distribution Boards as per IS 13032, Deep Water Barricading with Net and Anchor 8 km Long - UP PAC, Desktop Computers, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, modular electrical enclosure switch board boxes for modular type accessories, Fall Protection - Horizontal Life Line Including end Anchors as per EN 795:2012 Type C (PNG), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Customised Envelopes Searched String: 3 phase Starter 13-25 Amp Distribution Transformer, 3 Phase, 6.6 KV, > 200 KVA Up to and including 2500 KVA, Industrial Siren / Electrical Siren, Distribution Transformer, 3 Phase, 22 KV, > 200 KVA Up to and including 2500 KVA, D and C Set, Distribution Transformer, 3 Phase, 33 KV, > 200 KVA Up to and including 2500 KVA, Submersible Pump Set Three Phase as per IS 8034, IS 9283, Distribution Transformer, 3 Phase, 3.3 KV, > 200 KVA Up to and including 2500 KVA, Distribution Transformer, 3 Phase, 11 kV > 200 KVA up to and Including 2500 KVA, Screw Compressor, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1) Searched String: 1 Phase Starter 09-14 Amp D and C Set Searched String: Starter Relay 13-25 Amp (L&T) Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Overload Relay, Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1 Searched String: Starter relay 09-15 Amp (L&T) Overload Relay, Motor Protection Circuit Breaker (MPCB), Circuit Breakers with Integral Overcurrent Protection (RCBO) as per IS 12640 (Part 2) IEC 61009 - 1, CONTACTOR RELAY Searched String: PVC Pipe 1" Pipe for Gardening Purpose, Nitrile Coated/Nitrile Hand Gloves (V2), Pipe Cutter, Elbow Pipe Fitting, Solvent Cement, BOD Incubator, PVC Channel, Connection Pipe with Nuts (V2), PVC gitti, Multipara Monitor - Low End Searched String: PVC Pipe 1/2" BCAA 2:1:1 Powder, Pipe for Gardening Purpose, Elbow Pipe Fitting, Pipe Cutter, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Solvent Cement, Hand Operated Hydraulic Pipe Bender, PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2) Searched String: PVC Band 1" Fitness Band, Nitrile Coated/Nitrile Hand Gloves (V2), Toilet

बिड विवरण / Bid Details	Seat Band, Single Band ONT, Band Peg (BHEL), BOD Incubator, Band saw blade, Band Saw Machine, Multipara Monitor - Low End, Nitrile Coated Hand Gloves
	Searched String: PVC Band 1/2" BCAA 2:1:1 Powder, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), LT Spacer, PVC Insulated (Heavy Duty) Electric Cables (V2) ISI Marked to IS 1554 (Part 2), Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Single Band ONT, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type: A PVC compound, Category: 01 as per IS:1554 (Part 1) Searched String: PVC Flexible Pipe (white)1" Passive Networking Flexible Pipe, Black Flexible Rubber Hose Pipe, Flexible Tubing for Medical Purposes, Pipe for Gardening Purpose, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Flexible Transparent Sheet (V2), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Pipe Cutter, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Printing White Paper (V2) as per IS 1848 (Part 1) Searched String: PVC Flexible Pipe (white)1/2" Elastomer Insulated, Unkinkable Flexible Cords (Workshop Type) - IS 9968 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), Flexible Tubing for Medical Purposes, PVC Copper Cable (Heavy Duty) - Type A PVC Compound, Category C 2 - FR - LSH as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, thermal gloves, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Antimicrobial Susceptibility Testing Discs, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694 Searched String: PVC Clips 4mm Kelvin Clips, Pipe Clips, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Ligation Clips, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Polymer Ligation Clips, Binder Clips (V2), Clips, Paper as per IS 5650, Tie Pins And Clips-Handicraft, Customised Envelopes Searched String: PVC Clips 8mm Kelvin Clips, Pipe Clips, Ligation Clips, Desktop Computers, Polymer Ligation Clips, Clips, Paper as per IS 5650, Binder Clips (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tie Pins And Clips-Handicraft, Customised Envelopes Searched String: PVC clips 12mm

बिड विवरण / Bid Details	Kelvin Clips, Pipe Clips, Ligation Clips, Polymer Ligation Clips, Clips, Paper as per IS 5650, Binder Clips (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Customised Envelopes, Tie Pins And Clips-Handicraft, Tie Pins and Clips-Handicraft Searched String: PVC clips 20 mm Mild Steel Sheet, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, BTR Clamp for repair work of 2000mm Belt, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Water Aerator/Water Automiser, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, LED Batten, Waste Pipe Searched String: Pvc clip 25 mm Pressure Sensitive Adhesive Plasticized PVC Tapes with Nonthermosetting Adhesive as per IS 7809 (Part 3 / Section 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Cast Iron Bench, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694 Searched String: Gi Waidding Wire 1.5 mm PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Wild - Life Cages, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Endotracheal Tubes (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), rubber bands, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Theft Proof Rifle Racks, Cable Tray (BHEL), Correspondence Envelopes (V3) Conforming to IS 13892 Searched String: Gi Waidding Wire 2 mm Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Broth Media, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), Mild Steel Sheet, Fabric Pin Up Notice Boards, Kirschner Wire (V2), Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, Bunk Beds as per IS 17636 Searched String: MCCB 3 pole 160 Amp Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Switch Fuse Unit, Single switch IGBT Module, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Plug and Socket Distribution Board, Distribution
-------------------------	--

बिड विवरण / Bid Details	Transformer, 3 Phase, Up to and including 200 KVA, Bamboo, Tent Pole as per IS 7344, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Line Operated Three Phase AC Motors ISI Marked to IS 12615, Bonded Mineral Wool as per IS 8183
	Searched String: MCCB 3 pole 250 Amp Distribution Transformer, 3 Phase, 6.6 KV, > 200 KVA Up to and including 2500 KVA, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Distribution Transformer, 3 Phase, 22 KV, > 200 KVA Up to and including 2500 KVA, Distribution Transformer, 3 Phase, 33 KV, > 200 KVA Up to and including 2500 KVA, Switch Fuse Unit, Distribution Transformer, 3 Phase, 3.3 KV, > 200 KVA Up to and including 2500 KVA, Distribution Transformer, 3 Phase, 11 kV > 200 KVA up to and Including 2500 KVA, Plug and Socket Distribution Board, Distribution Transformer, 3 Phase, Up to and including 200 KVA, Bamboo, Tent Pole as per IS 7344 Searched String: Ceiling Fan Conection Connector Sofa Sets - Handcrafted Searched String: Ceiling fan Bairing 6201 Category not available on GeM for the text string uploaded by the buyer Searched String: Ceiling Fan Bairing 6202 Category not available on GeM for the text string uploaded by the buyer Searched String: wooden screw 1/2" BCAA 2:1:1 Powder, Karabiners Screw Type MK - 2 (Defence), Laboratory Vials (V2), Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Meter Bridge, TERA Package 2 - Programmable Robotics Manipulator with 1 and 2 Degrees of Freedom (ASoSE), Isoprothiolane, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) Searched String: wooden screw 1" Screw Compressor, Nitrile Coated/Nitrile Hand Gloves (V2), Compression Screw, Wooden Podium, BOD Incubator, Wooden Handicrafts, Wooden Handicrafts, Multipara Monitor - Low End, Wooden block, Hand, and Short Machine Screwing Taps for ISO Metric Screw Threads - IS 6175 Searched String: wooden Screw 2" Karabiners Screw Type MK - 2 (Defence), Laminar air flow cabinets or stations, Screw Compressor, Screw Drivers as per IS 844, Compression Screw, Waste Containers and Accessories - Domestic (V2), Wooden Podium, Wooden Handicrafts, Modular Table / Meeting Table / Centre Table (V2), Wooden Handicrafts Searched String: wooden Screw 2.5"

विड विवरण / Bid Details	5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 5-Sulfosalicylic acid, Climbing Rope Nylon, Glacier Region (Defence), Karabiners Screw Type MK - 2 (Defence), Server, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Screw Drivers as per IS 844, Hexagonal Head Screws ISI marked to IS 1364 (Part 2), Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2)
	Searched String: wooden screw 3" Screw Compressor, Sofas (V2), Compression Screw, Wooden Podium, Modular Table / Meeting Table / Centre Table (V2), Wooden Handicrafts, Bone Screw (V2), Wooden Handicrafts, Wooden block, Entry and Mid Level Desktop Computer Searched String: plain ss Washer 4 mm, Plain Washer as per IS 2016, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Studs-IS:1862, Mild Steel Sheet, Sofa Set (Steel Tube), Parallel Bar - Outdoor Gym Equipment, Curtains (V2), Plain Copier Paper (V2) as per IS 14490, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Endotracheal Tubes (V2) Searched String: Plain ss Washer 6 mm, Plain Washer as per IS 2016, patient care mattresses, Studs-IS:1862, Mild Steel Sheet, Sofa Set (Steel Tube), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Endotracheal Tubes (V2), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), CAT 6 Cable for Outdoor, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1) Searched String: plain ss Washer 8 mm, Plain Washer as per IS 2016, Sofa Set (Steel Tube), Studs-IS:1862, Mild Steel Sheet, Endotracheal Tubes (V2), Disposable Tracheostomy Tube (V2), CAT 6 Cable for Outdoor, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Pipe, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1) Searched String: Plain ss Washer 10 mm, Plain Washer as per IS 2016, Sofa Set (Steel Tube), Studs-IS:1862, NQ PCD Core Bit with 10 MM Cutters and TSP Chips - Matrix Body (CMPDI), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Mild Steel Sheet, Endotracheal Tubes (V2), Emergency Shower and Eye Washer as per IS 10592, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Copper Tube 104.9mm-OFB Searched String: Plain ss Washer 12 mm, Plain Washer as per IS 2016, Sofa Set (Steel Tube), Studs-IS:1862, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Endotracheal Tubes (V2), Steel Tubes, Tubulars and Other Wrought Steel Fittings (V2) as per IS 1239 Part 1, JAR TEST APPARATUS, Mild Steel Sheet, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985

बिड विवरण/Bid Details	Searched String: Bombay Nill 1.5"
	Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Battery Cell as per IS 9128, IS 8144, Antimicrobial Susceptibility Testing Discs, Electric Kettles and Jugs for Household as per IS 367, Heavy Duty Storage Racks, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Sofas (V2), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Server, Sheeting, Tickings and Bedsheets (V2) as per IS 175 Searched String: Bombay Nill 2.5" 5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 5-Sulfosalicylic acid, 4.5mm Broad D.C. Plate with corresponding screws, LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Server, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Antimicrobial Susceptibility Testing Discs, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694 Searched String: Bombay Nill 4" 4-Aminoantipyrine, Stromatolyser - 4 DL, Bone Screws, Methyl 4 Hydroxybenoate (Methylparaben), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Tank Mule MK-4 (Defence), Sleeping Bag MK 4 (JSS), Laminar air flow cabinets or stations, K - 4 Crash Rated Boom Barrier, Sofas (V2) Searched String: Bombay Nill 5" 5-5 Dithiobis -2-2 Nitrobenzoic Acid, Sofas (V2), Indoxacarb 5% + Fipronil 5% SC (Suspension Concentrate), 5-Sulfosalicylic acid, Desktop Computers, Alphacypermethrin 5% (wdp), Heavy Duty Storage Racks, 5 - Fluorouracil Injection, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), Category 5 Cable Searched String: Nills (Moti) 1.5" Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Battery Cell as per IS 9128, IS 8144, Antimicrobial Susceptibility Testing Discs, Wooden Almirah / Wardrobe (V2), Electric Kettles and Jugs for Household as per IS 367, Handloom Cotton Pillow Covers (V3), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Surgical Drapes, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, Handloom Cotton Bed Sheets (V2) as per IS 745 Searched String: Nills (Moti) 2" 2-2-BIPYRIDYL, Laminar air flow cabinets or stations, 2-Phenoxyethanol, Surgical Drapes, 2 - Nitrobenzaldehyde, Waste Containers and Accessories - Domestic (V2), 2-

बिड विवरण / Bid Details	Naphthol, Handloom Cotton Bed Sheets (V2) as per IS 745, 2-Chlorobenzaldehyde, Sofas (V2)
	Searched String: PVC Round Plate Round Baler, Polyester Round Slings, Tress Name Plate, PVC Channel, medical stools or chairs, PVC gitti, Floor Drain Traps, Chair Merry Go Round, Sofa Set (Steel Tube), Platform Merry Go Round Searched String: PVC Fan Plate Fan Bearing, Sofa Set (Steel Tube), Crossfit Fan, non metallic nameplates, Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, Centrifugal Fan Blower, modular electrical switches and accessories, Mist Air Fan, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694 Searched String: Street Light 3 Phase Conecter LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Digital Grounding Device 3 Phase, Inverter Based LED Street Light (V2), White LED Based Solar Street Lighting System for Model (I, II, III And IV), SOVP Device for Street light Pole Mounted, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Slamps (Algorithm based Street Light Automatic Switch), Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000 Searched String: Alumunium 10 SQMM Cable Lugh Manila Ropes (in KG) (V4) Conforming to IS 1084, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Electrical Box Extension (V3) Searched String: Alumunium 6 SQMM Cable Lugh CAT 6 Cable for Outdoor, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cat 6 Cable for Indoor Use, LCR Meter, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cables suitable for CCTV System (Accessories), Desk and Bench Set for Classroom/Training Area, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Desk Only for Classroom/Training Area, Electrical Box Extension (V3)

बिड विवरण/Bid Details	Searched String: Alumunium 4 SQMM Cable Lugh
	Radio Frequency CO - Axial Cable Flexible, Type R 50 - 7 - A04 as per IS 11967 (Part 1 / Set 4), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Desk and Bench Set for Classroom/Training Area, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, Desk Only for Classroom/Training Area, Electrical Box Extension (V3), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1) Searched String: 10 SQMM Cable GI Seddle Patti Claip PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cable Tray (BHEL), PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), Sofa Sets - Handcrafted, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694 Searched String: Street Light Single phase Timer Digital Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000, Humidifier (V2), MIL-STD Digital Grounding System Searched String: MCB GI Box 4 Ways Galvanized Iron Core Box (V2), Galvanised Iron Core Boxes, Answer Book/Booklets For Examinations (V3), Miniature Circuit breaker distribution boards - IS 13032, Electrical Box Extension (V2), Moonj Grass Products from Uddham Singh Nagar - ODOP, Parallel Bar - Outdoor Gym Equipment, Lunch Box (V2), Electrical Box Extension (V3), File/Folder (V3) Searched String: MCB GI Box 8 Ways Galvanized Iron Core Box (V2), File/Folder (V3), Galvanised Iron Core Boxes, laboratory hotplates, Miniature Circuit breaker distribution boards - IS 13032, Moonj Grass Products from Uddham Singh Nagar - ODOP, Work Benches, urethral urinary catheters or foley catheter, Stapler Pin / Staples (V2), Saharanpur Wood Craft - ODOP Searched String: MCB GI Box 16 Ways Double door Standard Storage Container or Cargo or Container Ships (V2) Searched String: MCB GI Box 2 Ways Galvanized Iron Core Box (V2), Card Board Box for Bio - Medical Waste Collection, Galvanised Iron Core Boxes, Sofa Sets - Handcrafted, Gear Box Conveyor no. SRC- 2 ,FOC-1 (SAIL), Port Fast Ethernet PoE Switch with 2 Gigabit Uplink, Electrical Box Extension (V3), Miniature Circuit breaker distribution boards - IS 13032, Electrical Box Extension (V2), Moonj Grass Products from Uddham Singh Nagar - ODOP Searched String: Flexible wire 23/76

बिड विवरण / Bid Details	Thimbles For Wire Ropes-IS:2315, Spherical Roller Bearing as per IS 6455, Steel Wire Suspension Ropes For Lift, Elevators And Hoists-IS:2365, Stitching Wire for Book Binding, Multicore Cable as per IS 694, surgical isolation or surgical masks, Tapered Bearings as per IS 12102, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694 Searched String: Casing Nails Coiled Nails, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, wire nails, Regular Casing Pipes (ONGC), HX Casing Head (CMPDI), Protective Sleeve, NX Casing Head (CMPDI), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), PX Casing Head (CMPDI), TC Casing Bit / Casing Shoe Bit for Surface Mineral Exploration Searched String: Electrical safety shoe 8 no Electrical Safety Devices and Accessories (Insulating Mats for Electrical Purposes) as per IS 15652, Package No. 8 Atal Tinkering Lab of Niti Aayog - Tinkering Handbooks, Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), Safety Footwear For Railway Workshop, Personal Protective Equipment (V2) Safety footwear As per IS 15298 (Part 2), Safety Footwear For Railway Trackmen, Reusable surgical Shoe Covers, Safety Shoes - Leather with PVC Sole, Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Shoe Covers (Medical Use) Searched String: Electrical hand glows Electrical Plug, Nitrile Coated/Nitrile Hand Gloves (V2), Electrical Workbench, Fogging Machine (V2) as per IS 14855 (Part 1), ELECTRICAL RACEWAY, Nitrile Coated Hand Gloves, Hand Lamp, Electrical Box Extension (V2), Hand saw, Towel Hand Cotton Turkish (IAF) Searched String: MILD STEEL VTPN INCOMMER MCCB DISTRIBUTION BOX SP OR 3 PHASE (8 WAYS) Category not available on GeM for the text string uploaded by the buyer Searched String: MILD STEEL VTPN INCOMMER MCCB DISTRIBUTION BOX SINGLE OR 3 PHASE (12 WAYS) Category not available on GeM for the text string uploaded by the buyer Searched String: MILD STEEL VTPN INCOMMER MCCB DISTRIBUTION BOX SINGLE OR 3 PHASE (18 WAYS) Category not available on GeM for the text string uploaded by the buyer Searched String: PENCIL CELL FOR AC REMORTS Cell cleaner, Fixed Capacitors (Fixed Capacitor for Single Phase AC Electric Fan) as per IS 1709:1984, Metallic Mount Suitable for Air Conditioner (Accessories), Blanket for AC Coach Passengers - Indian Railway, E - Cart for Garbage (V2), Blanket for AC Coach Passengers (V2) Indian Railways, LED Based Indicating Lamp for Panel Cut Outs, Cellophane Sheets for Denture Process, Shunt Power Capacitors of the
-------------------------	---

	Self - Healing Type for AC Systems as per IS 13340 (Part 1), Disconnectors (Isolators) for working voltage up to and including 1 KV
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• LED Flash Light • Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293 • LED Tube Light (Retrofit Type)
बीओक्यू शीर्षक / BOQ Title	Purchase of Electrical items
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	10 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का) / OEM Average Turnover (Last 3 Years)	50 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष / Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया / Bid to RA enabled	No
बिड का प्रकार / Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी / Primary product category	6 Amp modular switch

बिड विवरण/Bid Details

तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	5 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य /Estimated Bid Value	2200000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	110000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

NIFT Bhopal
National Institute of Fashion Technology, Bhopal By-Pass Road, Bhauri, Bhopal- 462030 (M.P.)
(Nift Bhopal)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which

no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

6 Amp Modular Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	300	15

16 Amp Madular Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	480	15

6 Amp Madular Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	250	15

16 Amp Modular Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	265	15

6 Amp Modular Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	150	15

16 Amp Maduiar Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	480	15

6 Amp Madular Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	150	15

16 Amp Madular Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	160	15

Madular Rugulator Switch Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	50	15

Modular Rugulator Socket Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	45	15

Modular Regulator Switch Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

3.5 Mfd Capaciter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	350	15

Celling Fan Nob Switch Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	50	15

CELLING Fan Nob Socket Type

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	50	15

Cooler Capaciter 4 Mfd

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

LED TUBE LIGHT 20 WATT 4 FEET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	200	15

Celling LED Light 2x2 36 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	300	15

Surface LED Light 2x2 36 Watt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	300	15

Mcb 32 Amp TP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	20	15

Mcb 32 Amp DP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	20	15

MCCB 4 POL 100 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	3	15

LT Mild Steel UTPN MCCB 12 WAY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

MCB 20 Amp Singal Pol

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	70	15

MCB BOX 12 WAY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

Copper Wire 1.5 Sq Mm 90 M- Red

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	14	15

Copper Wire 1.5 Sq Mm 90 M- YELLOW

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	15	15

Copper Wire 1.5 Sq Mm 90 M- BLACK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	18	15

Copper Wire 2.5 Sq Mm 90M- RED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	16	15

Copper Wire 2.5 Sq Mm 90M- BLACK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	16	15

Copper Wire 2.5 Sq Mm 90M- Yelow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	9	15

Copper Wire 4 Sq Mm 90 M- BLACK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	3	15

Copper Wire 4 Sq Mm 90 M- RED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	3	15

Copper Wire 4 Sq Mm 90 M- BLUE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	3	15

Copper Wire 1 Sq Mm 90 M Red

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	6	15

Copper Wire 1 Sq Mm 90 M YELLOW

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	6	15

Copper Wire 1 Sq Mm 90 M Black

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	6	15

Copper Wire 1 Sq Mm 90 M Green

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

3 Phase Energy Digital Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

Celling Led Light 2x2 36 Watt Driver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

LED LIGHT 12 WATT Driver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

PVC Band 32 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	240	15

PVC Tee 32 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	160	15

PVC U- Clip 32 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

PVC Gujji 6 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	50	15

Black Screw 1.5 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Electrical Insulation Tape

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	200	15

Black Screw 1 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

6 Mm Pvc Clip

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	50	15

Black Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	7	15

Black Screw 2 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Black Screw 2.5 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Black Screw 3 Inch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Three Pin Top 6 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	200	15

Three Pin Top 16 AMP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	200	15

Madular Pvc Gange Box 12 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	15	15

Maduiar Pvc Gang Box 8 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

Madular Pvc Gang Box 6 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	140	15

Modular Pvc Gange Box 3 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	20	15

Modular Plate Pvc 12 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	15	15

MADULAR Plate Pvc 8 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

Madular Plate Pvc 6 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	140	15

Madular Plate Pvc 3 Modal

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	20	15

MCB C Type Sp 10 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	20	15

MCB C Type Sp 32 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

MCB TPN 32 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

MCB TPN 63 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

PVC Casing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	400	15

PVC Casing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	60	15

PVC Casing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	170	15

PVC Casing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	170	15

PVC Casing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	170	15

PVC Casing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	170	15

Street Light Chock 75 Watts

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

Modular MCB Switch Type 16 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	10	15

Cable 3 Core 1.5 Sq Mm Black

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	4	15

Cable 3 Core 2.5 Sqmm Black

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	4	15

Anchor Fasner 8mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	60	15

3 Phase Starter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

1 Phase Starter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

Starter Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

Starter Relay

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

PVC Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	60	15

PVC Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	60	15

PVC Band

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	100	15

PVC Band

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	100	15

PVC Flexible Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	13	15

PVC Flexible Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	5	15

PVC Clips 4mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

PVC Clips 8mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

PVC Clips 12mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	30	15

PVC Clips 20 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	20	15

Pvc Clip 25 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	20	15

Gi Wadding Wire 1.5 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

Gi Wadding Wire 2 Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	2	15

MCCB 3 Pole 160 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	1	15

MCCB 3 Pole 250 Amp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	1	15

Celling Fan Conection Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	50	15

Celling Fan Bairing 6201

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	60	15

Celling Fan Bairing 6202

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	60	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Wooden Screw

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajnish Tamrakar	462030,National Institute of Fashion Technology (NIFT) Bhopal By-Pass Road, Bhauri Bhopal- 462 030 (M.P.)	8	15

Wooden Screw