

CORRIGENDUM

The clarification to Pre-Bid Queries raised by the prospective bidders in response to **GEM/2025/B/5985999 dt: 22.02.2025**

Tender Inviting for Purchasing Workstation with Monitor (45 set)

Mail correspondence by the prospective bidder on 27.02.2025.

Corrigendum in response to queries raised by the prospective bidders through email shall for an integral part of the bid document and it may amount to an amendment of relevant para/ Clause of the bid document.

Below Mentioned Points Deemed to be incorporated and part of the - Original Tender Document

Firm Name	Seller Query/ Representation	Buyer Response and vetted by IT Department HO
M/s. Binary Systems Pvt Ltd (by mail dt: 27.02.2025)	Representatives made a requested to modify 1. Expansion Slots to <u>No, 1 PCIe 5 x16,</u> <u>1 PCIe 4x16, 2 PCIe 4 x8,</u> <u>1 PCIe 4 x4</u> 2. Response time and refresh rate <u>5 ms. 60 Hz</u>	1. Expansion Slots No changes 2. Response time and refresh rate 5 ms. 60 Hz instead of 1 ms. 60Hz

The Original Tender Document is also attached along with Corrigendum-1 containing amendments. Bidders are requested to refer to Corrigendum-1 for the amended clause(s). Bidders are requested to quote their rates considering amendments in Corrigendum-1 and all other Terms and Conditions of the original Tender Document remain same.


Dr. Prof. Yathindra L
Director,
National Institute of Fashion Technology, Bengaluru, Karnataka
Ministry of Textiles, Govt. Of India

Note - This undertaking will be attached to BeQ/Custom bid published and will be available in public domain.